

CAPIPARTS
YOUR MINING PARTS SPECIALISTS

GROUND ENGAGING TOOLS
**G.E.T FOR CATERPILLAR®
MACHINES**



CEP
Capital Equipment Parts

WWW.CAPIPARTS.CO.ZA



CONTENTS

CATERPILLAR J SERIES	3
CATERPILLAR TOP PIN EXCAVATOR	45
CATERPILLAR SCARIFIER SHANKS	46
CATERPILLAR SCARIFIER TIPS	47
CATERPILLAR RIPPER SHANKS	48
CATERPILLAR RIPPER TIP	49
CATERPILLAR RIPPER PROTECTOR	55
CATERPILLAR BUCKET PROTECTOR	56
CATERPILLAR SEGMENTS	57
CATERPILLAR SIDE CUTTERS	58
CATERPILLAR & UNIVERSAL HEEL SHROUDS	59
CATERPILLAR & UNIVERSAL LIP PROTECTORS	60
CATERPILLAR HALF ARROW SEGMENTS	61
CATERPILLAR CLEAN BARS	63

CATERPILLAR HALF ARROW SEGMENTS	61
CATERPILLAR & UNIVERSAL CORNER GUARD	64
CATERPILLAR BUCKET BASE PLATE	66
CATERPILLAR TAMPING WER PARTS	67
CATERPILLAR FINGER SHANKS	68
CATERPILLAR ROUTER BITS	68
CATERPILLAR DOZER CAST END BITS	69
CATERPILLAR & UNIVERSAL STEPS	70
CATERPILLAR BUCKET GUARD PROTECTORS	70
CATERPILLAR BUCKET UNIT TIPS	71
ROCK CHISEL DESIGN & HAMMERLESS	73
CATERPILLAR K SERIES	86
CATERPILLAR ADVANSYS	100



CAPIPARTS

CATERPILLAR


WWW.CAPIPARTS.CO.ZA

CEP
Capital Equipment Parts

YOUR MINING PARTS SPECIALISTS



CATERPILLAR J-SERIES - J200 Excavator



TIPS


1	Short	1U3201
2	Long	1U3202
		449-2154
3	K Sharp	220-3202
4	Symmetrical	1U3202SYL
5	Rock Chisel	1U3202RC
6	Tiger	1U3202TL
		9W8209
7	Heavy Duty Long	*
8	Rock Chisel Small	1U3202V
9	Twin Tiger	1U3202WTL
		135-8208
10	Penetration	1U3209
11	Tip R	1U3202R
12	Tiger	HZ200TL
13	Rock Chisel HD	*
14	Tip Long	195-9209
15	Pin	8E6208
16	Retainer	8E6209

A	B	C	KG
mm	mm	mm	WEIGHT
135	59	48	1.2
145	59.5	48	1.3
145	60	48	*
148	58	62	1.3
160	58	45	1.3
164	60	6.35	1.3
			*
160	58	45	1.3
170	60	77	1.4
146	59	26	1.2
145	59	26	1.2
145	60	50	1.3
			*
148	59	48	*
			0.04
			0.01

*Not currently in our range.



CATERPILLAR J-SERIES - J200 Loader



Pin



Retainer

TIPS


1	Heavy Duty Abrasion	*
		4T2203
2	Abrasion	9J4203
3	Penetration HD	*
4	Penetration 2	*
5	Penetration	1U3202PT
6	Wide	109-9200
7	Pin	8E6208
8	Retainer	8E6209

A	B	C	KG
mm	mm	mm	WEIGHT
146	60	62	1.4
			*
			*
168	60	62	1.9
135	63	100	1.5
			0.04
			0.01

*Not currently in our range.



CATERPILLAR J-SERIES - J200 Adapter



Pin



Retainer



Bolt & Nut

ADAPTERS


1	Loader Adapter	*
2	Flush Mount Adapter	4T1204
3	Bottom Strap Adapter	8J7525
4	2 Holes Bolt	9J4207
4	2 Holes Bolt	8E2184
5	3 Holes Bolt	*
6	Bolt on Corner	1U2208 1U2209
1	Excavator Adapter	119-3204
1	Excavator Adapter	119-3205
11	Pin	8E6208
12	Retainer	8E6209
13	Bolt&Nut	Section 4
	Bolt&Nut	5J4771 2J3506 4F3656 4K0367

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
				*
23°	56	235	13-25	2.1
23°	61	174	13-25	1.75
23°	70	259	19	3
23°	60	226	20	2.6
23°	60	226	19	3
			20	2.6
23°	110	230	19	4
23°	73	182	25	1.8
23°	73	182	20	1.8
				0.04
				0.01
Sect 6	Sect 7			
6F0196	4F4042			
2J3505	2J3507			

*Not currently in our range.



CATERPILLAR J-SERIES - J220 Excavator



TIPS






1	Short	6Y622*
2	Long	6Y3222
3	K Sharp	*
4	Symmetrical	*
5	Rock Chisel	6Y3222RC
6	Tiger	6Y3222TL (6Y-7229)
7	Heavy Duty Long	8E-4222*
8	Rock Chisel Small	*
9	Twin Tiger	6Y3222WTL
10	Penetration	6Y8229
11	Tip R	6Y3222R
12	Wide	186-3010*
13	Rock Chisel HD	*
14	Tip Long	*
15	Pin	132-4762
16	Retainer	8E6259

A	B	C	KG
mm	mm	mm	WEIGHT
150	71	57	2.1*
	71	57	2.2
			*
			*
190	73	55	2.8
205	69	*	1.9
172	78	54	3*
			*
200	81	88	2.3
170	68	30	1.9
167	63.5	56	2.1
167			2.8*
			*
			*
			0.11
			0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J220 Excavator Adapter



ADAPTERS


1	Excavator Adapter	6Y3224
2	Excavator Adapter	*
3	Left/Right Hand	*
4	Straight Blade	6Y3224A
5	Heavy Duty	*
7	AD10	ADCO225LH ADCO225RH
6	Wear Cap	*
8	Pin	132-4762
9	Retainer	8E6259

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	80	227	22	2.9
				*
				*
90°	80	227	25	2.9
				*
	84	291	32	3.8
	84	291	32	3.8
				*
				0.12
				0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J250 Excavator



TIPS



1	Short	1U3251
2	Long	1U3252 449-2156
3	K Sharp	220-3252
4	Symmetrical	1U3252SYL
5	Rock Chisel	1U3252RC
6	Tiger	1U3252TL 9W8259
7	Heavy Duty Long	9N4252
8	Rock Chisel Small	1U3252V
9	Twin Tiger	135-8258 1U3252WTL
10	Penetration	9J4259
11	Tip R	1U3252R
12	Tiger	1U3252TL-V*
13	Rock Chisel HD	*
14	Tip Long	161-1253*
15	Pin	8E6258 132-4763
16	Retainer	8E6259

A	B	C	KG
mm	mm	mm	WEIGHT
168	78	60	2.7
190	79	60	3
			*
190	79	78	3.1
220	80	59	3.7
215	77	9	2.7
200	82.5	60	3.8
195	77	60	2.6
215	79	90	3.6
192	80	33	2.6
193	78	65	2.6
			2.7*
			*
			*
			0.11
			0.03
			0.01

*Not currently in our range.



CATERPILLAR J-SERIES - J250 Loader



Pin



Retainer

TIPS


1	Heavy Duty Abrasion	9N4253
2	Abrasion	4T2253 9J4253
3	Penetration HD	*
4	Penetration 2	4T2253RP2
5	Penetration	1U3252PT*
6	Wide	3G8250 (208-5254)
7	Pin	8E6258 132-4763
8	Retainer	8E6259

A	B	C	KG
mm	mm	mm	WEIGHT
202	81	90	4.6
193	79	82	3
			*
241	82	67	5.4
240	81	70	5
195	78	113	3.4
			0.11
			0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J250 Loader Adapter



ADAPTERS






1	Loader Adapter	*
2	Flush Mount Adapter	1U1254
3	Bottom Strap Adapter	3G0169
4	2 Holes Bolt	1U0257
5	3 Holes Bolt	*
6	Bolt on Corner	3G4258 3G4259
7	Bolt on Corner Fork	*
8	Bolt on 2 Holes Corner	6I9250 6I9251
9	Pin	8E6258 132-4763
10	Retainer	8E6259
11	Bolt&Nut	Section 4
	Bolt&Nut	8J2928 8J2933

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
				*
23°	85	343	25-30	5.5
23°	84	296	19-32	4.2
23°	96	340	25	8.9
*				*
*	180	297	25	10.4
				*
*	225	325	25.20.19	12.7
				0.12
				0.03
Sect 6	Sect 8			
4J9058	4F4042			
8J2933	2J3507			

*Not currently in our range.



CATERPILLAR J-SERIES - J300 Excavator Adapter




ADAPTERS		
1	Excavator Adapter	6Y3254
	Excavator Adapter	6Y3254
1.B	Excavator Adapter	1193253
4	Straight Blade	6Y3254V
	Straight Blade	6Y3254V
5	Heavy Duty	*
7		ADCO250CN
7		ADC250RH
7		ADCO250LH
8	Pin	8E6258
		1324763
9	Retainer	8E6259

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	78	251	25	4.4
23°	78	251	32	4.3
23°			32	4.2
90°			25	4
90°			30/32	4.2
				*
*	178	363	32	4.4
	313	104	32	4.4
	313	104	32	4.4
				0.12
				0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J300 Excavator



TIPS

1	Short	1U3301
2	Long	1U3302 4492159
2	Long	1U3302LD
3	K Sharp	2203302
4	Symmetrical	1U3302SYL
5	Rock Chisel	1U3302RC
6	Tiger	1U3302TL 9W8309
7	Heavy Duty Long	9N4302 (449-2160)
8	Rock Chisel Small	1U3302V 1835300 (449-2167)
9	Twin Tiger	1U3302WTL 1359308
10	Penetration	9J4309
11	Tip R	1U3302R
12	Tiger	HZ300TL
13	Rock Chisel HD	1U3302HD
14	Tip Long	1681301*
15	Tiger-2	1U3302TL-V
16	Pin	9J2308 1073308
17	Retainer	1324766 8E6259



Pin





Retainer

A	B	C	KG
mm	mm	mm	WEIGHT
192	93	75	4.1
217	92	78	4.5
217	92	78	4.5
215	90	75	4.1
			*
235	92	95	5.5
250	91	66	5.6
242	95	7	4.5
222	90	71.5	5.6
220	90	75	4.5
240	93	105	4.7
220	91	75	3.5
220	92	72	4
250	93	9	4.8
258	96	73	6.5
			*
280	95	*	4.8
			0.12
			0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J300 Loader



Pin



Retainer


TIPS

1	Heavy Duty Abrasion	9N4303
2	Abrasion	4T2303 9J4303
3	Penetration HD	1359300
4	Penetration 2	4T2303RP2
5	Penetration	1U3302PT
6	Wide	4T1300 1073300
7	Pin	9J2308 1073308
8	Retainer	1324766 8E6259

A	B	C	KG
mm	mm	mm	WEIGHT
228	96	108	7.3
220	91.6	100	5.2
262	95	78	8.3
257	87	80	8.6
260	96	79	7.6
217	92	92	1.5
			0.12
			0.03



CATERPILLAR J-SERIES - J300 Loader Adapter



Pin



Retainer



Bolt & Nut

ADAPTERS



1	Loader Adapter	*
2	Flush Mount Adapter	1U1304
3	Bottom Strap Adapter	9J8929
4	2 Holes Bolt	1U0307 3G9307 4T4307 9J2307
5	3 Holes Bolt	3G5307
6	Bolt on Corner	3G4308 3G4309 3G8308 3G8309
8	Bolt on 2 Holes Corner	8E5308 8E5309
9	Pin	9J2308 1073308 1324766
10	Retainer	8E6259
11	Bolt&Nut	Section 2,3
12	Bolt&Nut	8J2928 8J2933

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	97	352	25-38	8
23°	100	322	25-38	6.82
23°	107	357.5	25	10.3
23°	110	405	32	13.2
23°	110	405	32	14.7
*	111	391	20 /51	12.8
23°	107	400	32	14
*	199	340	25-32	15.5
*	119	340	25-32	15.5
*	225	364	32	16.5
*	225	364	32	16.5
	230	318	32	18.4
			32	18.4
				0.12
				0.03
Sect6,7	Sect 8			
5P8823	8T9079			
5P8362	3K9770			

*Not currently in our range.



CATERPILLAR J-SERIES - J300 Excavator Adapter



Pin



Retainer

ADAPTERS


1	Excavator Adapter	3G6304 2017 9W1304
2	Left/Right Hand	3G6305 3G6306
3	Excavator Adapter	8E9490
4	Straight Blade	3G6304V30 3G6304V YC30035
5	Heavy Duty-Solid	3G6304HD
6	Wear Cap	*
8	Pin	9J2308 1073308 1324766
9	Retainer	8E6259

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	102	311	30-32	7.2
23°-90°	105	330	30-32	7.6
23°	98	317	35	7.5
90°	102	300	30	6.7
23°	102	305	30	7.6
				*
				0.12
				0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J350 Excavator



Pin



Retainer

TIPS

1	Short	1U3351 1U3352
2	Long	4492161 1U3352 5395697
3	K Sharp	2203352
4	Symmetrical	1U3352SYL
5	Rock Chisel	1U3352RC 1U3352RC 1U3352LRC 1U3352RCS 3895743*
6	Tiger	1U3352VIP 9W8359
7	Heavy Duty Long	9N4352 4492162
8	Rock Chisel Small	1U3352V 1681359
9	Twin Tiger	1U3352WTL 1359357
10	Penetration	9J4359
11	Tip R	1U3352R
12	Tiger	HZ350TL
13	Rock Chisel HD	1U3352HD
14	Tip Long	1681351
15	Tiger-2	1U3352TL-V*
16	Pin	8E6358 1140358
17	Retainer	8E6359



A	B	C	KG
mm	mm	mm	WEIGHT
210	104	85	5.5
242	105	90	6.6
242	105	90	6.6
242	102	85	6.1
242	102	85	6.1
240	104	97.5	6.5
268	105	105	7.6
285	108	85	7.6
285	108	85	8.2
265	103	80	6.6
284	108	82	7
			*
283	105	10	5.5
255	109	90	8.8
255	109	88	8.8
245	103	85	6.1
287	106	121	6.8
245	104	48	5.8
237	102.6	92	5.7
286	106	12	6.2
250	112	88	9.8
247	99	87	6.9
*	*	*	*
			0.23

0.05

*Not currently in our range.



CATERPILLAR J-SERIES - J350 Loader



Pin



Retainer

TIPS


1	Heavy Duty Abrasion	9N4353
2	Abrasion	4T2353 9J4353
3	Penetration HD	1441358
4	Penetration 2	4T2353RP2
5	Penetration	1U3352PT
6	Wide	8J3350 1073350
7	Pin	8E6358 1140358
8	Retainer	8E6359

A	B	C	KG
mm	mm	mm	WEIGHT
254	105	126	10.5
238	104	110	7.1
295	112	93	12.7
297	112	95	11.9
292	110	92	11
240	105	178	7.9
			0.23
			0.05

*Not currently in our range.



CATERPILLAR J-SERIES - J300 Loader Adapter



Pin



Retainer



Bolt & Nut

ADAPTERS





1	Loader Adapter	1359354 1359355 1359356
1	Loader Adapter	1359354HD 1359355HD 1359356HD
2	Flush Mount Adapter	1U1354 1U1350
3	Bottom Strap Adapter	1U1351 1U1352
4	2 Holes Bolt	3G7357
4	2 Holes Bolt	1700073 3G3357 1U1357
5	3 Holes Bolt	3G1357
6	Bolt on Corner	3G5358 3G5359
8	Bolt on 2 Holes Corner	8E5358 8E5359
9	Pin	8E6358 1140358
10	Retainer	8E6359
11	Bolt&Nut	Section4
12	Bolt&Nut	5P8361 5P8362

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	131	400	40	15.4
			40	14.5
			40	14.5
23°	136	373	40	14.6
			40	15.5
			40	15.5
23°	117	415	32-45	13.2
			32-45	9.5
23°	112	387	32-45	10.2
			32-45	10.2
23°	130	430	32	20.9
	130	430	32	20.9
	134	418	38	16.9
	140	430	45	19.8
23°	105	400	32	19.8
*	230.5	389	38	20.4
			38	20.4
23°	257	407	*	26.3
				26.3
				0.23
				0.05
Sect 5	Sect 6	Sect 8		
8J2928	5P8823	6V6535		
8J2933	5P8362	3K9770		

*Not currently in our range.



CATERPILLAR J-SERIES - J350 Extractor Adapter



Pin



Retainer

ADAPTERS


1	Excavator Adapter	3G8354 2017 3G8354-23°
2	Left/Right Hand	3G8355 3G8356
3	Excavator Adapter-Std	6I6354 2017
3	Heavy Duty Solid	6I6354-C
3	Heavy Duty Solid	6I6354-40-35°F
4	Left/Right Hand	6I6355-4° 6I6356-4°
5	Straight Blade	3G8354V
6	ADCO	ADCO350CN ADCO350LH ADCO350RH
7	Pin	8E6358 1140358
8	Retainer	8E6359

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
35°	114	338	40	9.1
23°			40	9.1
23°	115	344	40	8.7
			40	8.7
23°	105	357	40	9.8
23°	105	357	40	10.6
35°	109	357	40	10.6
23°	106	347	40	9.8
				9.8
90°	109	357	40	9.3
*	140.5	382	*	19.7
90°	150.5	387.4	50	12.9
90°	150.5	387.4	50	12.9
				0.23
				0.05

*Not currently in our range.



CATERPILLAR J-SERIES - J400 Excavator



TIPS



1	Short	7T3401
2	Long	7T3402 4492164
3	K Sharp	2203402
4	Symmetrical	7T3402SYL
5	Rock Chisel	7T3402RC
6	Tiger	7T3402TL 7T3402VIP 6Y5409
7	Heavy Duty Long	8E4402 389-5744 7T3402V
8	Rock Chisel Small	3895745 1681409
9	Twin Tiger	7T3402WTL 1359408
10	Penetration	6Y7409
11	Tip R	7T3402R
12	Tiger	HZ400TL
13	Rock Chisel HD	7T3402HD
14	Tip Long	1681401*
15	Tiger	7T3402TL-V (E325TL)*
16	Pin	7T3408 1167408
17	Retainer	8E8409

A	B	C	KG
mm	mm	mm	WEIGHT
235	120	100	9
265	120	102	9.4
			*
300	118	125	11.2
313	118	90	10.4
335	122	9	9.3
280	121	100	11.5
265	120	100	8.5
320	123	140	9.9
268	121	51	8.6
270	130	96	8.9
334	128	9	11.6
313.5	125	99	12.5
			8.8*
380	122	128	9.2
			0.36
			0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J400 Loader



Pin



Retainer

TIPS


1	Heavy Duty Abrasion	*
2	Abrasion	7T3403
3	Penetration HD	1359400
4	Penetration 2	7T3403RP2
5	Penetration	7T3402PT
6	Wide	7T3400
		1073400
7	Pin	7T3408
		1167408
8	Retainer	8E8409

A	B	C	KG
mm	mm	mm	WEIGHT
			*
275	124	143	13.45
330	124	105	16.9
340	126	105	17.8
330	126	104	15.5
268	122	208	11.7
			0.36
			0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J400 Loader Adapter








ADAPTERS		
1	Loader Adapter	1258404 1258405 1258406
2	Flush Mount Adapter	1073404
3	Bottom Strap Adapter	*
4	2 Holes Bolt	619898
5	3 Holes Bolt	*
6	Bolt on Corner	618244, 618243
9	Pin	7T3408 1167408
10	Retainer	8E8409

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	140	410	40-45	19 19.7 19.7
23°	132	437	40-45	19.2
				*
23°	170	443	45	27.5
				*
*	301	490	*	33.6
				0.36
				0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J400 Excavator Adapter



ADAPTERS


1	Excavator Adapter	6I6404
2	Left/Right Hand	6I6405-4° 6I6406-4°
3	Left/Right Hand	*
4	Straight Blade	6I6404V 6I6404V
5	Heavy Duty-soild	6I6404HD
6	Wear Cap	*
7	Pin	7T3408 1167408
8	Retainer	8E8409

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	126	390	45	13.5
23°	125	392	45	13.5
23°			45	13.5
23°				*
90°	140	387	45	14.9
			50	14.8
23°	126	390	45	15.8
				*
				0.36
				0.03

*Not currently in our range.



CATERPILLAR J-SERIES - J450 Excavator



Pin



Retainer

TIPS


1	Short	9W8451
2	Long	9W8452 1U3452
2	Long	9W8452 1U3452
3	Long	4492167
3	Tiger	9W8452TL-V (E330TL)
4	Symmetrical	9W8452SYL
5	Rock Chisel	9W8452RC 1U3452RC 3174456* 3895747*
6	Tiger	9W8452TL 1U3452VIP 7T8459
7	Heavy Duty Long	9N4452 3895746*
8	Rock Chisel Small	9W8452V
9	Twin Tiger	9W8452WTL 1386458
10	Penetration	9W8459
11	Tip R	9W8452R
12	Tiger	HZ450TL
13	Rock Chisel HD	9W8452HD
14	Tip Long	1681451*
15	Penetration Long Life	159-0459
16	Pin	8E0468 1140468
17	Retainer	8E8469

A	B	C	KG
mm	mm	mm	WEIGHT
258	134	112	10.4
297	135	113	12.45
293	132	110	11.4
293	132	110	11.4
391	140	136	11.1
324	137	130	13.5
341	136	102	14.1
340	135	100	13.6
341	136	102	14.1
340	135	100	13.6
355	138	10	12.8
320	140	114	16.2
290	135	100	11.2
320	139	114	15.7
292	133	53	10.4
293	134	108	11.2
357	139	10	13.4
336.5	140	104	15.3
325	134	122	11*
			14.3
			0.48
			0.05

*Not currently in our range.



CATERPILLAR J-SERIES - J450 Loader



Pin



Retainer



TIPS

1	Heavy Duty Abrasion	9N4453
2	Abrasion	9W1453 9J4453
3	Penetration HD	1386451
4	Penetration 2	9W1453RP2
5	Penetration	9W8452PT
6	Wide	8J1450 1073450
7	Pin	8E0468 1140468
8	Retainer	8E8469

A	B	C	KG
mm	mm	mm	WEIGHT
310	140	167	21
295	128	133	15.9
350	142	114	21.95
362	144	123	23
350	142	114	21.2
295	140	228	15.9
			0.48
			0.05



CATERPILLAR J-SERIES - J450 Loader Adapter



Pin



Retainer



Bolt & Nut

ADAPTERS




1	Loader Adapter	1140464 1140465-15° 1140466-15°
1	Loader Adapter	8E3464 8E3465-15° 8E3466-15°
2	Flush Mount Adapter	8E0464-9° 8E0465-9°-15° 8E0466-9°-15°
2	Flush Mount Adapter	8E0464HD-14°-15° 8E0465HD-14°-15° 8E0465HD-14°-15°
3	Bottom Strap Adapter	*
4	2 Holes Bolt	8E2467
5	3 Holes Bolt	*
6	Bolt on Corner	*
7	Bolt on Corner Fork	*
8	Bolt on 2 Holes Corner	*
9	Pin	8E0468 1140468
10	Retainer	8E0469

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	143	428	51	20.8
				22.5
				22.5
23°	143	428	51	20.8
				22.5
				22.5
23°	138	475.5	45-51	20
			45-51	20.5
			45-51	20.5
23°	466	140	45-51	23.7
			45-51	24
			45-51	24
				*
23°	451	149	45	25.5
				*
				*
				*
				*
				0.46
				0.05

*Not currently in our range.



CATERPILLAR J-SERIES - J450 Excavator Adapter



Pin



Retainer

ADAPTERS


1	Excavator Adapter	6I6464 1590464
2	Excavator Adapter	8E6464
3	Left/Right Hand	6I6465-90° 6I6466-90°
3	Left/Right Hand	8E6465-90° 8E6466-90°
4	Left/Right Hand	1590465-4° 1590466-4°
5	Left/Right Hand	6I6466-15° 6I6466-15°
6	Heavy Duty-Soild	6I6464HD 1596464HD
7	Straight Blade	6I6464V-50 6I6464V-55 6I6464HD-60
8	Wear Cap	*
9	Pin	8E0468 1140468
10	Retainer	8E6469

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	150	436	51	19.9
				19.9
23°	144	429	51	20.6
23°	160	426	51	17.4
				17.4
23°	150	449	51	20.5
				20.5
23°	150	436	51	20.5
			55	20.5
23°	159	441	51	21.5
				19.9
90°	154	429	55	19.5
			60	21.6
				*
				0.46
				0.05

*Not currently in our range.



CATERPILLAR J-SERIES - J550 Excavator



TIPS



1	Short	9W8551
2	Long	9W8552 1U3552
3	K Sharp	9W8552TL-V(E345TL-B)
4	Symmetrical	9W8552SYL
5	Rock Chisel	9W8552RC
5	Rock Chisel Small	9W8552PV
5	Rock Chisel Small	3380550
6	Tiger	9W8552TL 1U3552TL (159-0550) 9W6559
7	Heavy Duty Long	9N4552
8	Penetration-long Life	1590559 9W8552WTL
9	Twin Tiger	1386558 1U3552WTL
10	Penetration	9W8559
11	Tip R	9W8552R
12	Tiger	HZ550TL
13	Rock Chisel HD	9W8552HD
14	Tip Long	*
15	Pin	6Y8558 1073378
16	Retainer	8E8559

A	B	C	KG
mm	mm	mm	WEIGHT
288	161	133	16
340	163	130	18.45
430	161	150	15.2
370	163	165	22
380	167	130	23.5
375	161	125	18.7
*	*	*	*
395	162	13	17.5
350	166.5	140	26
381	161	142	21.5
382	166	184	18.7
335	159	67	14.8
347	162	132	18.5
400	162	15	17.6
399	164	133	25
			*
			0.64
			0.23

*Not currently in our range.



CATERPILLAR J-SERIES - J550 Loader



Pin



Retainer


TIPS

1	Heavy Duty Abrasion	6Y2553
2	Abrasion	9W1553 9J4553
3	Penetration HD	1386552
4	Penetration 2	9W1553RP2 9W8552ARH
5	Penetration	9W8552PT
6	Wide	7J9550 (107-3550)
7	Pin	6Y8558 1073378
8	Retainer	8E8559

A	B	C	KG
mm	mm	mm	WEIGHT
356	166	189	30.4
333	162	171	22
385	167	138	30.2
375	170	131	27.6
390	170	172	32
385	167	140	29.2
368	161	277	23.2
			0.64
			0.23



CATERPILLAR J-SERIES - J550 Loader Adapter



Pin



Retainer



Bolt & Nut

ADAPTERS




1	Loader Adapter	1073554 1073555 1073556
2	Flush Mount Adapter	7J9554 3G4554
3	Bottom Strap Adapter	*
4	2 Holes Bolt	*
5	3 Holes Bolt	*
6	Loader Adapter	1U1553
7	Bolt on Corner Fork	*
8	Bolt on 2 Holes Corner	*
9	Pin	6Y8558
10	Retainer	8E5559

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	190	541	64	42.9
			64	42.9
			64	42.9
23°	148	545	51-64	20
			51-64	23.5
				*
				*
				*
23°	183	520	60	42
				*
				*
				0.64
				0.22

*Not currently in our range.



CATERPILLAR J-SERIES - J550 Excavator Adapter




ADAPTERS

1	Excavator Adapter	6I6554-60 6I6554-65
2	Left/Right Hand	6I6555-90° 6I6556-90°
3	Left/Right Hand	6I6555-15° 6I6556-15°
4	Straight Blade	6I6554HD-60 6I6554HD-65 6I6554HD-70
5	Heavy Duty-Solid	6I6554HD-M
5	Heavy Duty-Solid	6I6554HD-C
5	Heavy Duty-Solid	6I6554-76
6	Heavy Duty-Solid	6I6554-70
6	Wear Cap	6I6554CAP
7	Cap	J550CAP
8	Pin	6Y8558
9	Retainer	8E5559

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	180.5	496	60	32
			60	32
23°	182	519	60	28
			60	28
23°	180.5	180.5	60	33.5
			60	33.5
0°	201.5	482	60	33.7
			65	33.3
			70	33
23°	184	519	60	31
23°	182	506	63.5/65	36
23°	183	481	76	35
23°	183	481	76	35.3
23°	182	497	60	34
J550	103	88	J550	3.2
				0.64
				0.22



CATERPILLAR J-SERIES - J600 Excavator



TIPS



1	Short	*
2	Long	6I6602
3	Tiger	(6I6602TL-V) E365TL
4	Symmetrical	6I6602SYL 6I6602RC
5	Rock Chisel	1590607 6I6602RC HX 3380600*
6	Tiger	6I6602TL 1078609
7	Heavy Duty Long	7Y0602
8	Rock Chisel Small	*
9	Twin Tiger	6I6602WTL 1359608
10	Penetration	7I7609
11	Tip R	6I6602R
12	Tiger	HZ600TL
13	Rock Chisel HD	6I6602HD
14	Tip Long	*
15	Pin	6I6608 1139608
16	Retainer	6I6609

A	B	C	KG
mm	mm	mm	WEIGHT
			*
395	193	165	30.3
540	195	183	28.2
420	195	190	33
440	196	160	38.8
445	193	170	38
482	192	162	40
482	192	162	40
457	196	24	31.6
410	197	170	42
			*
470	193	236	37
400	193	80	29.6
			32
			37
480	199	164	
			*
			1.1
			0.08

*Not currently in our range.



CATERPILLAR J-SERIES - J600 Loader



Pin



Retainer

TIPS


1	Heavy Duty Abrasion	6I6603
2	Abrasion	*
3	Penetration HD	1359600
4	Penetration 2	*
5	Penetration	6I6602PT
6	Wide	*
7	RPHD	J600RPHD
8	Pin	6I6608 1139608
9	Retainer	6I6609

A	B	C	KG
mm	mm	mm	WEIGHT
415	201	229	57.5
			*
450	199	159	52.2
			*
450	198	163.5	48
			*
465	197	216	60
			1.1
			0.08

*Not currently in our range.



CATERPILLAR J-SERIES - J600 Loader Adapter



Pin



Retainer



Bolt & Nut

ADAPTERS


1	Loader Adapter	1198604 1198605 1198606
2	Flush Mount Adapter	*
3	Bottom Strap Adapter	*
4	2 Holes Bolt	*
5	3 Holes Bolt	*
6	Bolt on Corner	*
7	Bolt on CornerFork	*
8	Bolt on 2 Holes Corner	*
9	Pin	616608 1139608
10	Retainer	618809

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	216.5	599	70	71
			70	72
			70	72
				*
				*
				*
				*
				*
				*
				1.1
				0.08

*Not currently in our range.



CATERPILLAR J-SERIESR - J600 Excavator Adapter




1



2



3



4



5



6



7



Pin



Retainer


ADAPTERS

1	Excavator Adapter	616604
		616604
2	Left/Right Hand	616605-15°
		616606-15°
3	Left/Right Hand	616605-90°
		616606-90°
4	Heavy Duty	1139604
		616604HD 80 (113-9604)
4	Heavy Duty	616604HD
4	Heavy Duty	61660490
5	Heavy Duty	222660090
6	Wear Cap	616604CAP
7	Cap	J600CAP
7	Pin	616608
		1139608
8	Retainer	616609

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	219	564	70	53
			75	51
23°	206	567	75	59.5
			75	59.5
23°	203	565	70	48
			70	48
23°	211	565	80	55
23°	211	565	70	54.5
30°	220	565	90	56
35°	234	659	90	75.5
23°	207	553	70	53
				7.4
				1.1
				0.08



CATERPILLAR J-SERIES - J700 Excavator



Pin



Retainer

TIPS



1	Short	
2	Long	4T4702
3	Tiger	4T4702TL-V (E374VIP)
4	Symmetrical	
5	Rock Chisel	4T4702RC
6	Tiger	4T4702TL
7	Heavy Duty Long	9U9702
8	Rock Chisel Small	1711709*
9	Twin Tiger	
10	Penetration	4T4709
13	Rock Chisel HD	4T4702HD
14	Tip Long	1368700*
15	Pin	4T4708 1134708
16	Retainer	4T4707

A	B	C	KG
mm	mm	mm	WEIGHT
420	211	170	41
568	211	206	38
483	211	180	48
510	209	19	45
			*
			53
415	207	82	38
523	209	184	55
			*
			1.25
			0.3

*Not currently in our range.



CATERPILLAR J-SERIES - J700 Loader



Pin



Retainer

TIPS




1	Heavy Duty Abrasion	4T4703
2	Abrasion	*
3	Penetration HD	1359700
4	Penetration	4T4709
5	Penetration	4T4702PT
7	Penetration HD	1359700
6	Wide	*
7	Pin	4T4708 1134708
8	Retainer	4T4707

A	B	C	KG
mm	mm	mm	WEIGHT
489	215	243	68.5
			*
500	215	178	72
415	207	82	38
500	209	178	67
500	215	178	72
			*
			1.25
			0.3

*Not currently in our range.



CATERPILLAR J-SERIES - J700 Loader Adapter



Pin



Retainer



Bolt & Nut

ADAPTERS


1	Loader Adapter	4T4704 4T4705 4T4706
2	Loader Adapter	132-4704
3	Bottom Strap Adapter	*
4	2 Holes Bolt	*
5	3 Holes Bolt	*
6	Bolt on Corner	*
7	Bolt on Corner Fork	*
8	Bolt on 2 Holes Corner	*
9	Pin	4T4708 1134708
10	Retainer	4T4707

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	205	671	76	76
				76
				76
23°	205	671	74	80
				*
				*
				*
				*
				*
				1.25
				0.3

*Not currently in our range.



CATERPILLAR J-SERIES - J700 Excavator Adapter



Pin



Retainer

ADAPTERS


1	Excavator Adapter	2227700 (NEW)
2	Excavator Adapter	1007416HD*
3	Left/Right Hand	*
4	Straight Blade	*
5	Heavy Duty	*
6	Wear Cap	*
7	Pin	4T4708
8	Retainer	4T4707

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
35°	244	720	90	93
35°	248	722	100	101
				*
				*
				*
				1.25
				0.3

*Not currently in our range.



CATERPILLAR J-SERIES - J800 Excavator



TIPS



1	Short	*
2	Long	
3	K Sharp	
4	Symmetrical	
5	Rock Chisel	618803RC
6	Tiger	E390VIP (618802TL)
7	Heavy Duty Long	618802
8	Rock Chisel Small	*
9	Twin Tiger	*
10	Penetration	*
11	Tip R	*
12	Tiger	*
13	Rock Chisel HD	*
14	Tip Long	*
15	Pin	1341808
16	Retainer	1341809

A	B	C	KG
mm	mm	mm	WEIGHT
			*
560	245	182	68.5
640	247	*	56
475	249	219	89
			*
			*
			*
			*
			1.25
			0.1

*Not currently in our range.



CATERPILLAR J-SERIES - J800 Loader



Pin



Retainer

TIPS



1	Heavy Duty Abrasion	6I8803
2	Abrasion	*
3	Penetration HD	1359800
4	ARH	6I8803ARH
5	Penetration	6I8802PT
6	Wide	*
7	Pin	1341808
8	Retainer	1341809

A	B	C	KG
mm	mm	mm	WEIGHT
475	249	296	104
			*
550	245	200	100
575	240	259	112
585	241	206	98
			*
			1.25
			0.1

*Not currently in our range.



CATERPILLAR J-SERIES - J800 Loader Adapter



Pin



Retainer

ADAPTERS




1	Loader Adapter	618804
2	Flush Mount Adapter	*
3	Bottom Strap Adapter	*
4	2 Holes Bolt	*
5	3 Holes Bolt	*
6	Bolt on Corner	*
7	Bolt on Corner Fork	*
8	Bolt on 2 Holes Corner	*
9	Pin	1341808
10	Retainer	1341809

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
23°	253	707	101.6	112
				*
				*
				*
				*
				*
				*
				1.25
				0.1

*Not currently in our range.



CATERPILLAR J-SERIES - J800 Excavator Adapter



ADAPTERS		
1	Excavator Adapter	3576516 618804-120
2	Left/Right Hand	*
3	Left/Right Hand	*
4	Straight Blade	*
5	Heavy Duty	*
6	Wear Cap	*
7	Pin	1341808
8	Retainer	1341809

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
35°	250	703	101.6	112
30°	278	738	120	120
				*
				*
				*
				*
				1.25
				0.1

*Not currently in our range.



CATERPILLAR - Top Pin Excavator

1



2



3




TIPS

1	Teeth Long	4K6936
2	Teeth Long	4K0034
3	Heavy Duty Long	4K0034AGR
7	Pin	4K0043
8	Retainer	4K0041

A	B	C	KG
mm	mm	mm	WEIGHT
175	60	52.5	1.6
182	67	67	2.1
215	71	76	1.25
			0.3

CATERPILLAR - Top Pin Excavator Adaptor

1






TIPS

1	Top Pin Adapter	P23
2	Top Pin Adapter	P18
8	Pin	4K0043
9	Retainer	4K0041

α	H	L	B	KG
mm	mm	mm	mm	WEIGHT
25°	73	228	13-20	2.4
25°	70.5	243	20-30	3.3
				0.04
				0.01



CATERPILLAR - Scarifier Shanks



SHANKS


1	3 Holes	9F5124
2	3 Holes	5B6251
3	Universal 5 Holes	9F5124101
4	3 Holes	H31280
5	3 Holes	9F5124BS
5	Pin	5K1458
6	KIT	5K1459

A	B	C	KG
mm	mm	mm	WEIGHT
425	76	167	5.4
399	64	133	4.3
423	76	170	5.4
461	76	184	5.9
438	76.2	146	5.7
			0.01
			0.31

*Not currently in our range.




CATERPILLAR - Scarifier Tips



SHANKS		
1	Tips	6Y5230
2	Tips	2D5572
3	Tips	H32181
4	Tips	6Y5230L
4	Bolt	5K1458
5	Nut	5K1459

A	B	C	KG
mm	mm	mm	WEIGHT
184	47	36	1.5
184	47	36	1.5
174	48.4	36.5	1.4
190	57	44	1.3
			0.01
			0.31

CATERPILLAR - Shanks - Casting




SHANKS		
1	Shanks	8J5299
1	Shanks	9J6586
2	Shanks	9J8923
2	Shanks	9J3139

A	B	C	KG
mm	mm	mm	WEIGHT
437	74	34.5	8
526	132	60	22.9
666	173	69	60.5
642	173	73	55

*Not currently in our range.



CATERPILLAR - Ripper Shanks - Steel Cut/Forged



SHANKS		
1	Shanks	9J3199
2	Shanks	9W7382
3	Shanks	8E5346
3	Shanks	8E5347
4	Shanks	8E5348
5	Shanks	8E5339
6	Shanks	8E5340
7	Shanks	8E5342
8	Shanks	1073485
9	Shanks	8E8411
10	Shanks	8E8414
11	Shanks	8E8415
12	Shanks	8E8416
13	Shanks	1144503
14	Shanks	1182140
15	Shanks	1093135
16	Shanks	8E8412
17	Shanks	8E8413
18	Shanks	1049277



A	B	C	KG
mm	mm	mm	WEIGHT
			63
			158
			289
			365
			508
			425
			450
			345
			488
			635
			555
			435
			680
			560
			745
			905
			840
			580
			1043

*Not currently in our range.




CATERPILLAR - Shanks Nose

1



2



3




NOSE		
1	Welding Nose	8E7300
	Welding Nose	8E7350
2	Shanks Nose	9J4354WN*
	Shanks Nose	3G4454WN*
	Shanks Nose	107-3361
	Shanks Nose	103-8114
	Shanks Nose	103-8115
	Shanks Nose	8E8418
3	Shanks Nose	9U9694
4	Pin	9J6583
5	Retainer	9J6583
6	Pin	9J6583
7	Retainer	1U2405
8	Pin	6Y3394
9	Retainer	8E4743
10	Pin	6Y3909
11	Retainer	4T4707

A	B	C	KG
mm	mm	mm	WEIGHT
151	57.4	51	3.6
195	77	64	7.9
*			4.8
*			9
412	104	81	45
415	98	81	50
560	98	80	81
600	77	76	76
348	74	76	19.11
			0.23
			0.05
			0.23
			0.05
			0.53
			0.3
			1.2
			0.3

*Not currently in our range.



CATERPILLAR - Ripper Tip R300



Pin



Retainer


RIPPER TIP		
1	Long	4T4302
2	Short	7K0037
3	Sharp	1U3302TL
4	Long	6Y0309
6	Pin & Retainer Assembly	8J1433
	Pin&Retainer	9J6583
	Pin&Retainer	1U2405

A	B	C	KG
mm	mm	mm	WEIGHT
			*
			*
242	95	7	4.5
280	86	49	5.4
			0.25
			0.23
			0.05

*Not currently in our range.



CATERPILLAR - Ripper Tip R350



2



3



4



5



6



Pin



Retainer

RIPPER TIP


1	Long	6Y0359
2	Long	6Y0352
3	Sharp	6Y0352TL
4	Abrasive	7J3309
5	Intermed	7J3310
6	Long	7J3312
7	Pin&Retainer Assembly	7J9600
	Pin&Retainer	8E6358
	Pin&Retainer	1U2405

A	B	C	KG
mm	mm	mm	WEIGHT
360	117	52	11.5
362	108	50	10.4
			*
			*
			*
			*
			0.45
			0.23
			0.05

*Not currently in our range.



CATERPILLAR - Ripper Tip R450



2



3



4



5



6



Pin



Retainer


RIPPER TIP

1	Short	9W2451
2	Intermed	9W2452
3	Abrasive	9W2452ST
4	Long	1140453
5	Intermed	4T5452
6	Long	4T4453
7	Pin&Retainer	7J9600
	Pin	6Y3394
	Retainer	8E4743

A	B	C	KG
mm	mm	mm	WEIGHT
335	126	72	15.4
375	134	80	17.9
385	133	86.5	17.5
429	132	83	20.5
397	132	50	17
422	132.5	78	19.2
			0.45
			0.52
			0.3



CATERPILLAR - Ripper Tip R500





RIPPER TIP		
1	Short	4T4501
2	Intermed	4T4502
3	Abrasive	4T4502ST
4	Long	4T4503HD
5	Short	4T5501
6	Intermed	4T502
6	Intermed	4T5502A
8	Sharp	4T5502VIP
9	Long	4T5503
10	Intermed	TC500RL
11	Intermed	3G6503CL
9	Pin&Retainer	3G0500
10	Pin	6Y3909
11	Retainer	4T4707

A	B	C	KG
mm	mm	mm	WEIGHT
382	160	77	27.2
425	155	76	29
450	157	82	30.5
485	157	76	32
385	157	78	26.5
429	150	76	30.5
433	157	70	29
475	156	14	26.4
475	161	76	34.2
462	157	46	31
485	152	34	34
			1.1
			1.2
			0.3



CATERPILLAR - Ripper Tip R550




RIPPER TIP		
1	Short	9W4551
2	Intermed	9W4552
		6Y3552
		D11T (6Y3552)
4	Heavy Duty	6Y3552A
5	Sharp	6Y3552VIP
6	Pin&Retainer Assembly	9W1821
	Pin	8E2229
	Retainer	8E2230

A	B	C	KG
mm	mm	mm	WEIGHT
460	176	76	46.5
540	176	80	47.5
540	177	80	50
534	171	79	46
563	178	83	52
570	173	15	46.5
			1.66
			1.3
			0.36



CATERPILLAR - Ripper Protector




PROTECTOR			 				
					mm	mm	WEIGHT
1	Standard	6J8814 1324716*	7J9600 6J8811	6Y3394 8E4743	478	76	13.9 23.5
2	Standard	8E1848 9W8365 6Y8960 9N4621	3G0500 3G0500	6Y3909 4T4707	475 596 533 682	76 90/106 100/107 110/116	23.7 41.5 38.7 80.3
3	Standard	3G9594* 1U3644* 6Y9704*	3G0500 1U3630 8J4889	* * *	* * *	90	* 40.5 55.1
4	Long Version	9W8365EXT (132-8365) 6Y8960EXT	3G0500 3G0500		700	90/106 100/107	47.5 56.8

*Not currently in our range.



CATERPILLAR - Bucket Protector



PROTECTOR


					L mm	B mm	KG WEIGHT
1	Standard	3295958	275-5982		432	32	17.4
1	Standard	3263407	132-0999		492	36	18.8
1	Standard	3263407	132-1008		492	40	18.8
1	Standard	3295955	132-0999		493	51	20.7
1	Standard	1122489	132-1008		432	32	17.4
1	Standard	1662877	132-0999		468	36	18.8
1	Standard	1662877	132-0988		468	40	18.8
1	Standard	1122492	132-0999		660	50	35
1	Standard	1358246	357-2689		470	25.4	10.2
1	Standard	1122494	132-0999		940	38	36.5
1	Standard	3295957	357-2689		660	60/63.5	35.1
2	Standard	1358246	132-0999		462	25.5	10.2
2	Standard	9J9600	135-9292		578	32/35	18
2	Standard	1U0740	114-0359		597	52	22.4
2	Standard	125-0800	135-9350		998	65	62
2	Standard	8J4143*	152-0027		*	35	20.2
			133-0738				
			107-8559				
			8E4708				
			4T4707				

*Not currently in our range.



CATERPILLAR - Segments

1



SEGMENT		
1	Segment	4T6694*
	Segment	4T6695
	Segment	4T6696*
	Segment	4T6699


4F4042	2J3507
4F4042	2J3507
5P8823	3K9770
5P8823	3K9770

L	B	KG
mm	mm	WEIGHT
280x225X25		10.6
280X265X25		12.7
		13.8
360X270X30		21

*Not currently in our range.




CATERPILLAR - Side Cutters



SIDE CUTTER					L mm	B mm	KG WEIGHT
1	Standard	1122487 1122488	1D4635	2J3507 3K5234	464	4 hole	26.5 26.5
1	Standard	5226333* 5226334*	1D4635	2J3507 3K5234	464	4 hole	22.5 22.5
1	Standard	2322147 2322148	1D4635	2J3507 3K5234	464	4 hole	26.5 26.5
1	Standard	3572696 3572697	1D4635	2J3507 3K5234	554	4 hole	27.5 27.5
1	Standard	2568690 2568691	1D4635	2J3507 3K5234	644	5 hole	42 42
1	Standard	3263405* 3263406*	1D4635	2J3507 3K5234	628	5 hole	47.5 47.5
1	Standard	3801201* 3801202*	096-7676	096-7074	301	4 hole	7.8 7.8
2	Standard	7Y0203 7Y0204	096-7676	096-7074	301	4 hole	7.8 7.8
2	Standard	0964747 0964748	8T0380	7X0851	408	4 hole	11.4 11.4
3	Standard	7Y0357 7Y0358	6I6371	2J3507	423	3 hole	20.3 20.3
3	Standard	3572713 3572714	6I6371	2J3507	423	3 hole	20.3 20.3
4	Standard	8J9614 8J9615	7Y2146	2J3507	460	7 hole	23.4 23.4
4	Standard	8J9825* 8J9826*	*	*	*	7 hole	31 31
5	Standard	2322140* 1748044	*	*	490	3 hole	25.2 25.2
5	Standard	3682856	*	*	443	3 hole	21.2
5	Standard	3682852* 3682853*	*	*	599	3 hole	25.6 25.6
5	Standard	3682852* 3682853*	*	*	464	3 hole	23 23



CATERPILLAR - Universal Heel Shroud (Welding)



PART NO.	TYPE	R mm	A mm	B mm	C mm	D mm	E mm	KG WEIGHT
157-1019	Straight	*	250	190	50	270	200	29.8
157-1027	Curved	R800	250	190	50	270	200	29.2
138-6529	Straight	*	175	150	40	205	150	13.2
HS138-6551	Curved	R600	200	172	51	222	186	18
HS140-110	Curved	R1000	110	140	30	140	110	4.6
HS175-140	Curved	R1000	140	175	40	175	115	10.6
HS230-190	Curved	R1000	190	230	45	230	165	19.8
HS290-240	Curved	R1000	240	290	50	290	220	40.2
ES6697	Curved	R940	150	150	50	210	130	14
ES6697-2	Curved	R850	188	150	50	250	200	22.5
ES6697-3	Curved	R800	188	100	38	200	150	13.8
ES6697-4	Curved	R800	188	100	32	175	135	10.2
ES6697-5	Curved	R850	250	200	50	300	235	40.3
ES6697-7	Curved	R850	250	250	100	350	235	83
280-4078	Straight	*	120	108	31	150	113	4.5
280-4079	Curved	R400	120	108	31	150	113	4.9

CATERPILLAR - Universal Heel Shroud (Mechanical)




PART NO.		R mm	A mm	B mm	C mm	D mm	E mm	KG WEIGHT
1	Bolt-On 6697	*	200	148	55	225	156.5	18.8
2	Base-6697	R800	160	87	27	172	153.5	4.2
3	Bolt-6697							0.41
4	Nut-6697							0.01

*Not currently in our range.




CATERPILLAR - Universal Lip Protectors



PART NO.	TYPE	L mm	A mm	B mm	C mm	D mm	W mm	KG WEIGHT
1 HZ-50-150-23°	Centre	40-50	45	23	95	190	150	7.7
1 HZ-50-150-30°	Centre	40-50	45	30	80	205	150	7.7
1 HZ-70-250-30°	Centre	60-75	66	30	112	250	250	22
1 HZ-70-250-30°-L	Left	60-75	66	30	112	250	250	23
1 HZ-70-250-30°-R	Right	60-75	66	30	112	250	250	23
1 HZ-70-250-23°	Centre	60-75	73.5	23	132	230	250	21.5
1 HZ-70-250L-23°	Left	60-75	73.5	23	132	230	240	22.6
1 HZ-70-250R-23°	Right	60-75	73.5	23	132	230	240	22.6
1 HZ-90-360-30°	Centre	80-100	95	30	145	254	360	36
1 HZ-90-360-30°-L	Left	80-100	95	30	145	254	360	37.5
1 HZ-90-360-30°-R	Right	80-100	95	30	145	254	360	37.5
1 HZ-90-360-35°	Centre	80-100	95	35	165	254	360	35
1 HZ-90-360-35°-L	Left	80-100	95	35	165	254	360	37
1 HZ-90-360-35°-R	Right	80-100	95	35	165	254	360	37
1 HZ-120-320-30°	Centre	100-120	115	30	180	280	320	40
1 HZ-120-320-30°-L	Left	100-120	115	30	180	280	320	42
1 HZ-120-320-30°-R	Right	100-120	115	30	180	280	320	42
1 P-50-24-150	Centre	45-55	52	24°	82	150	150	5.5
1 P-60-24-250	Centre	60-70	62	24°	104	165	200	11.7
2 LSC-40-120-C23	Centre	40-50	45	23	93	190	120	6.5
2 LSC-50-150-C23	Centre	40-50	45	23	95	190	150	7.7
2 LSC-60-200-C23	Centre	55-70	61	23	125	237	200	16.8
2 LSC-60-250-C23	Centre	55-70	61	23	125	237	250	20.8
2 LSC-70-250-23	Centre	60-75	73.5	23	132	230	250	21.5
2 LSC-70-250-23-L*	Left	60-75	73.5	23	132	230	250	22.6
2 LSC-70-250-23-R*	Right	60-75	73.5	23	132	230	250	22.6
3 WS140-30-330	Centre	120-140	125	30	180	360	250	39
3 WS130R-30-330	Left	120-140	125	30	180	330	250	41
3 WS130L-30-330	Right	120-140	125	30	180	330	250	41
3 WS300	Centre	80-100	90	30	157	233	300	28
4 WS-25	Centre	40-45	43	22°30°	66	124	63.5	2
4 WS-45	Centre	45-50	49	30°	103	181	114	6.6
4 WS-60	Centre	50-60	53	30°	92	184	152	8.7



CATERPILLAR - Half Arrow Segments




PART NO.	HOLES	ANGLE	A mm	B mm	C mm	D mm	E mm	H mm	G mm	KG WEIGHT
1099030	5	0	700	270	440	89	140	50	85	151
1099031R	5	13	710	270	440	89	140	55	85	159.5
1099032L	5	13	710	270	440	89	140	55	85	159.5
1099033	5	0	633.5	270	622	75	140	141	85	218
1176805R	5	15	656	*	440	75	135	50	85	153
1176806L	5	15	656	*	440	75	135	50	85	153
1092675	4	0	620	180	410	86.5	132.5	70	90	114
1092676R	4	15	620	180	436	86.5	132.5	72.7	100	127
1092677L	4	15	620	180	436	86.5	132.5	72.7	100	127
2755470	4	0	620	180	410	86.5	132.5	70	90	114
2755471	4	15	620	180	436	86.5	132.5	72.7	100	127
2755472	4	15	620	180	436	86.5	132.5	72.7	100	127
1957190	4	0	495	180	410	61	101	70	90	87
1957191	4	15	480	180	436	61	101	73	100	92
1957192	4	15	480	180	436	61	101	73	100	92
2755460	4	0	495	180	410	61	101	70	90	87
2755461	4	15	480	180	436	61	101	73	100	92
2755462	4	15	480	180	436	61	101	73	100	92
1099080	3	0	419	137	342	45	75	86	85	47
1099081R	3	15	421	137	342	45	75	89	85	44
1099082L	3	15	421	137	342	45	75	89	85	44
1167460	3	0	421	140	312	45	75	71	85	42
1167461R	3	15	421	140	312	45	75	74	85	43
1167462L	3	15	421	140	312	45	75	74	85	43
1133140	2	0	401	126	288	41	71	77	134	36
1133141R	2	14	416	126	328	41	71	99	134	42
1133142L	2	14	416	126	328	41	71	99	134	42
1359544	2	0	401	126	300	41	71	90	120	35.6
1359545R	2	15	417	126	304	41	71	55	163	39.2
1359546L	2	15	417	126	304	41	71	55	163	39.2
1744114	2	0	313	97	270	38	58.5	45	180	22
1744115	2	0	315	102	315	37.5	57	65	185	25.5
1744116	2	0	293	97.5	315	38	58.5	45	203	24.4
4T8101HA	3	0	384	82.5	213	41.5	60.5	106.3	68.3	23


*Not currently in our range.



CATERPILLAR - Wear Plate Cover



HOLES				A	B	C	G	BOLT NUT	MACHINE	MODEL	KG WEIGHT
				mm	mm	mm	mm				
1	Cover plate	4	195-7096	406	251	26	90				24.5
1	Cover plate	4	195-7097	445	251	26	100				24.5
1	Cover plate	4	195-7098	445	251	26	100				22.3
1	Cover plate	3	195-7180	342	199	25.4	85				12
1	Cover plate	3	195-7181	355	198	25.4	85				12
1	Cover plate	3	195-7182	355	198	25.4	85				12
1	Cover plate	4	208-5327	406.5	260	32	90				22.4
1	Cover plate	4	208-5328	446	260	32	100				25
1	Cover plate	4	208-5329	446	260	32	100				25
1	Cover plate	4	357-5600	410	330	29	90				27
1	Cover plate	4	357-5601	421	330	29	100				27.6
1	Cover plate	4	357-5602	421	330	29	100				27.6
2	Cover plate	4	1U0593TP	849	320	25.4	429				28.4




HOLES				A	B	C	G	BOLT NUT	MACHINE	MODEL	KG WEIGHT
				mm	mm	mm	mm				
1		3	14414281	457	368	76	*	*	*	*	71
1		3	14414282	457	368	76	*	*	*	*	71

*Not currently in our range.




CATERPILLAR - Clean Bars



PART NO.	DESCRIPTION	TAMPING FOOT	MACHINE	MODEL	KG WEIGHT	A mm	B mm	C mm
3S3228	Plates	4S7928	835		7	407	115	23
3S3225	Plates	*	*		2.5	202	98	19
4S7928	Tamping Foot	3S3228	835		6	406	104	25

CATERPILLAR - Clean Bars






PART NO.	DESCRIPTION	TAMPING FOOT	MACHINE	MODEL	KG WEIGHT	A mm	B mm	C mm
1062047	Tamping Feet	3G8250	815B		9.3	20.5	101.6	409
1417407*	Clean Bar	3G8250	815B		5	*	*	*
3G8250	Clean Bar Tip				3.4			

*Not currently in our range.



CATERPILLAR - Bucket Corner Shroud




PART NO.	DESCRIPTION	BASE EDGE	HOLE	MACHINE	 WEIGHT	 A	 B	 C
						mm	mm	mm
1 6I8310	Standard	105-2345	2	938	6.2	218	203	24
1 6I8311	Standard	105-2345	2	938	6.2	218	203	24
1 6I8250	Standard	*	2	938	15	296	251	60
1 6I8251	Standard	*	2	938	15	296	251	60
1 4V7174	Standard	6W2983	1	977	9	242	223	35.5
1 4V7175	Standard	6W2983	1	977	9	242	223	35.5
1 4V1544	Standard	9V6570	1	953	5.2	210	203	23
1 4V1545	Standard	9V6570	1	953	5.2	210	203	23
1 8E5300	Standard	9V6573	2	950	7	221	201	22
1 8E5301	Standard	9V6573	2	950	7	221	201	22
1 8E5302 *	Standard	*	1	*	7	200	220	50
1 8E5303*	Standard	*	1	*	7	200	220	50
1 8E5310*	Standard	*	1	938	11	290	224	53
1 8E5311*	Standard	*	1	938	11	290	224	53
2 8J7210	Standard	110-4712	5	938	8.7	257	213	32
2 8J7211	Standard	110-4712	5	938	8.7	257	213	32

*Not currently in our range.



CATERPILLAR - Bucket Side Bar Protection





			 KG	A	B	C
PART NO.			WEIGHT	mm	mm	mm
1	VS385	CAT-Side Bar Protection	15	68.3	107	710
	VS450	CAT-Side Bar Protection	20.8	67	117	767
	VS500	CAT-Side Bar Protection	31	87	117	835
	VS550*	CAT-Side Bar Protection	40	101.6	127	908
2	VSM100WN25	CAT-Side Bar Adapter	5.1	27	154	146
	VSM200WN51	CAT-Side Bar Adapter	4.9	53	154	146
	VSM150WN38	CAT-Side Bar Adapter	5.8	41	154	146
3	VS450 Pin					
	VS500 Pin					
	VS550 Pin					

*Not currently in our range.




CATERPILLAR - Bucket Wear Plate



PART NO.	DESCRIPTION	BOLT NUT	MACHINE	MODEL	KG WEIGHT	A mm	B mm	C mm
1 1004015	Wear plate	6V8360 3K9770 4K0684	994		235	1194	375	76
2 9W6749	Bucket Wear Plate	5J4773 2J3506 5P8248	970		31.64	556	254	35
3 9W6748	Bucket Wear Plate	5J4773 2J3506 5P8248	970		19.2	537	254	25.4
4 9W6747	Bucket Wear Plate	5J4773 2J3506 5P8248	970		19.2	527	254	25.4



CATERPILLAR- Tamping Wer Parts




PART NO.	DESCRIPTION	BASE	MACHINE	KG WEIGHT	A mm	B mm	C mm
1 47021	Tamping Foot	*	*	5.5	214	102	123
2 2V7053	Tamping Foot	7K7071	815F	3.7	166	81	71
2 2V6628	Tamping Foot	7K7071	825C	5.4	221	87	85
2 4V3851	Rock Tamping Foot	7K6908	825C	4.4	170	71	81
2 4V0668	Rock Tamping Foot	7K7071	825C	7.2	218	89	87
3 8K9189	Rock Tamping Foot	7K6908	815F	3.6	170	63	71
3 8K9171	Rock Tamping Foot	7K7071	835	6.4	230	80	78
4 7K2939	Rock Tamping Foot	9S1645	835	6.6	225	120	96
5 7K6908	Base	*	815F	4.2	270	136	67
5 7K7071HD	Base	*	835	8.9	308	130	93
6 7X8009				6.4	215	136	139
7 2320160				24	292	177	150
7 1073295				24	292	177	150
8 6W0755				8.5	289	170	110
8 6W0754*				10.6	156	166	135

*Not currently in our range.



CATERPILLAR - Finger Shank

1



PART NO.	DESCRIPTION	MACHINE	MODEL	WEIGHT KG	A mm	B mm	C mm
1 5V4311	Shanks	815	815B	9.6	550	50	60

CATERPILLAR - Router Bits




PART NO.	DESCRIPTION	BOLT NUT	MACHINE	WEIGHT KG	A mm	B mm	C mm
4J8665	Router Bits-Standard	4F4042 2J3507	666 651	25	511	216	70
7J3023	Router Bits-Heavy duty	4F4042 2J3507	666 651	35.8	578	245	101
4T0668	Router Bits	5P8823 3K9770 4K0684	657	40.2	533	216	70
15002210*	Router Bits			34			
15002211*	Router Bits			34			
2209150*	Router Bits			58			
8F7232	Router Bits	5J4773 2J3506	80	*			
9F1831	Router Bits	4F3654 4K0367	60	*			
1J3599	Router Bits	5J4771 5J4771 2J3506	491 470	*			
4T4336	Router Bits	8S9092 4K0367 5P8247	613	*			

*Not currently in our range.



CATERPILLAR - Dozer Cast End Bits




PART NO.	HOLE	BLADE	TYPE	BOLT NUT	MACHINE	KG WEIGHT	A mm	B mm	C mm	D mm
6Y4410	6		Casted	5J-4773	D6	29.5	207	316	19	245
6Y4411	6		Casted	2J-3506 5P-8248	D6	29.5	207	316	19	245
8E4196C	7		Casted	4J-9208	D8	55.5	597	390	35	309
8E4197C	7		Casted	2J-3507	D8	55.5	597	390	35	309
8E4537	7		Casted	5P-8250	D8	55.5	597	390	35	309
8E4538	7		Casted		D8	55.5	597	390	35	309
8E4198C	7		Casted	5P8823	D9N 9U	106	736	505	45	372
8E4199C	7		Casted	3K9770	D9N 9U	106	736	505	45	372
8E4541C	7		Casted	4K0684	D9N 9U	136.6	720	466	52	403
8E4542C	7		Casted		D9N 9U	136.6	720	466	52	403
8E4543C	9		Casted	5P8361	D10N/R/S	166	812	507.5	52	420
8E4544C	9		Casted	3K9770	D10N/R/S	166	812	507.5	52	420
8E4545C	9		Casted	4K0684	D11	181	812	508	63.5	420
8E4546C	9		Casted		D11	181	812	508	63.5	420
2755445	9		Casted		D11	225	821	523	168	428
2755446	9		Casted		D11	225	821	523	168	428
8E4193*	7		Casted	4J-9058	D8	60.2				
8E4194*	7		Casted	2J-3507 5P-8250	D8	60.2				
8E4539*	7		Casted	4J-9208	D9N 9U	79				
8E4540*	7		Casted	2J-3507 5P-8250	D9N 9U	79				
8E4541 EWL*	7		Casted ESCO	5P8823	D10N/R/S	*				
8E4542 EWL*	7		Casted ESCO	3K9770	D10N/R/S	*				
8E4543 EWL*	9	60	Casted ESCO	4K0684	D10N/R/S	*				
8E4544 EWL*	9	60	Casted ESCO		D10N/R/S	*				
8E4546 EWL*	9		Casted ESCO		D11 D10	*				
8E4545 EWL*	9		Casted ESCO		D11 D10	*				
3G8319*			Casted	4J-9208	D6	19				
3G8320*			Casted	2J-3507	D6	19				
3G8301*			Casted	5P-8250	D8	34.5				
3G8302*			Casted		D8	34.5				
3G8279*			Casted	4J-9058	D8	40.6				
3G8280*			Casted	2J-3507	D8	40.6				
3G8287*			Casted	5P-8250	D9	41.1				
3G8288*			Casted		D9	41.1				
3G8289*			Casted	8J-2928	D9	58.5				
3G8290*			Casted	2J-3507	D9	58.5				
3G8281*			Casted	5P-8250	D9	74				
3G8282			Casted		D9	74				

*Not currently in our range.




CATERPILLAR - Universal Steps



PART NO.	DESCRIPTION	KG	A	B	C
		WEIGHT	mm	mm	mm
7T5140	Cat-Step	9.6	584	127	76




CATERPILLAR - Bucket Guard Protectors



PART NO.	BOLT	NUT	MACHINE	KG	A	B	C
				WEIGHT	mm	mm	mm
1 2530060	4F-4042	2J-3507	J250	9.8	195	307	63
1 2530061	4F-4042	2J-3507	J250	9.8	195	307	63
1 2530062	8T-9079	3K-9770	J300	12.4	184	329	80
1 2530063	8T-9079	3K-9770	J300	12.4	184	329	80
1 2530064	6V-6335	3K-9770	J350	17.2	192	379	87
1 2530065	6V-6335	3K-9770	J350	17.2	192	379	87
1 2530066	5P-8823	3K-9770	J400Y460	28	223.5	438	93
1 2530067	5P-8823	3K-9770	J400Y460	28	223.5	438	93



CATERPILLAR - Unit Tips



TIPS		
1	1324720	UniTip
2	6Y6335	UniTip
2	6Y6335-M	UniTip
2	9W1879	UniTip
2	1358203	UniTip
3	8J6207	UniTip
3	135-9390*	UniTip
2	1U1857	UniTip
2	8J4691	UniTip
2	1U1877S	UniTip
2	8J4692	UniTip
2	1U1867	UniTip
2	8E-1637	UniTip
2	1U1877 *	UniTip
4	1U1877HD	UniTip
2	1U1887	UniTip
2	6Y0649	UniTip
2	1U1567	UniTip
5	8J2936	UniTip





4F3656	
4F3656	4K0367
4F3656	
4F3656	
5J4771	2J3506
NP-158	pb-510
8J2928	
8J2928	2J3507
8J2928	2J3507
8J2928	
8J2928	
	8J2933
8J2928	8J2933
8J2928	
5P8361	5P8362
5P8361	5P8362
5P8361	5P8362
8J2928	2J3507

A	B	C	D	E	KG
mm	mm	mm	mm	mm	WEIGHT
235.5	21	65.5	59.5	60	1.9
270	21	69	62	75	3.4
280	21	59	53.5	75	3.2
270	21	69	62	75	3.4
270	21	69	62	75	3.4
340	21	59	50.5	89	4.6
220	17	53	53	50	1.6*
395	27	83	70	124	9.9
395	27	83	70	124	10
395	27	83	70	124	10
395	27	83	70	124	10.1
462	34	100	70	165	16.2
461	35	100	70	165	16.2
414	27	100	74	124	12.5
450	27	96	77.5	124	17
508	34	112	90	160	22
532	42	130	95	150	28.5
532	42	130	95	150	28.2
515	34	58	90	83X146	25

*Not currently in our range.



CATERPILLAR - Unit Tips



TIPS

1	1U1858	UniTip
1	1U1859	UniTip
1	1U1878	UniTip
1	1U1879	UniTip
1	1U1888*	UniTip
1	1U1889	UniTip



4J-9058	8J-2933
4J-9059	8J-2933

5P8823	5P-8362
5P8823	5P-8362

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
381	28	82	75	14.2
381	28	82	75	14.2
482	31	101	78	24.6
482	31	101	78	24.6
550	125	83	233	38
550	125	83	233	38

*Not currently in our range.


CAPIPARTS

**ROCK CHISEL
DESIGN &
HAMMERLESS**

WWW.CAPIPARTS.CO.ZA

CEP
Capital Equipment Parts

YOUR MINING PARTS SPECIALISTS



TIPS


1	TC200RC
1	TC250RC
1	TC300RC
1	TC350RC
1	TC400RC
1	TC450RC
1	TC550RC
1	TC600RC
1	TC700RC*
1	TC800RC



8E-6208	8E-6209
8E-6258	8E-6259
9J-2308	8E-6259
8E-6358	8E-6359
7T3408	8E-8409
8E-0468	8E-8469
6Y-8558	8E-5559
6I6608	6I-6609
4T4708	4T-4707
134-0808	134-1809

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
160	60	63	48	1.3
220	79	94	63	3.5
250	93	104	75	5.6
279	109	116	89	7.7
310	120	130	100	10.5
331	137	142	108	13.9
383	163	157	144	23.2
455	198	189	163.5	39
515	212	205	180	50
600	247	235	207	83

KOMATSU - Rock Chisel Excavator new version



TIPS

1	TK200RC
1	TK300RC
1	TK400RC
1	TK450RC*
1	TK650RC*
1	TK1250RC*




09244-02496
09244-025016
09244-03036
09244-03036
209-70-54240
21N-72-14330

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
257	101	108	78	5.5
295	126	117	98	8.8
335	147.5	133	117	13.6
355	152	136	109	14.8
462	181	201	130	33
520	1800	253	132	50

*Not currently in our range.




HYUNDAI - Rock Chisel Excavator




TIPS	OEM PART NO.			A mm	B mm	C mm	D mm	KG WEIGHT
1 TH200RC-7*	E161-3027 61N6-31310RC	E161-3035	61E5-11150	245	99	87	76	5.5
1 TH210RC-9*	61Q6-31310 RC	E161-3035	61E5-11150	250	102	102	78	6
1 TH290RC-7*	E262-3046 61N8-31310RC	E161-3035	61E5-11150	280	116	109	86	7.6
1 TH360RC-7*	61E7-0101 61NA-31310RC	61E7-0105	61EH-1150	310	135	128	100	13.5
1 TH360RC-9*	61QA-31310RC	61E7-0105	61EH-1150	310	135	135	100	13.5
1 TH450RC-7*	61E7-04610 61NB-31310RC	61E7-04620	61E7-04630	350	137	143	115	22
1 TH500RC-9*	66NB-31310RC	66NB-31340	66NB-31350	350	147	158	118	22

KOBELCO - Rock Chisel Excavator



TIPS	OEM PART NO.			A mm	B mm	C mm	D mm	KG WEIGHT
1 TSK200RC	BF02P	SK200P	SK200R	245	110	94	82	5.6
1 TSK230RC	AF02L	SK230P	SK230R	280	121	116.5	90	7.7
1 TSK210RC-9*	YN69S001L	YN69B00008S002-L	YN69B00008S003-L	282	118.5	120	87	7.7
1 TSK350RC-9*	LC69B00001S1-L	LC69B00001S2-L	YN69B00008S003L	300	134	145	100	13
1 TSK480RC*	2412U38651L	2412U385S2-L	2412U385S3-L	350	147	165	103	17

*Not currently in our range.



G.E.T. SYSTEM
New Hammerless Version
(Available for all RC Teeth)



G.E.T. SYSTEM
New Rock Chisel Style Tip



Advantages - New Rock Chisel Tip



Improved Rip:	Longer Life
Round Front:	More Penetration



Improved:	Pocket Protect
Improved:	Wear Life Design

Advantages - New J350 Rock Chisel Tip




Improved Sharpness & Penetration



CROSS SECTION



New CAT J System



TIPS

1	TC200RC
1	TC250RC
1	TC300RC
1	TC350RC
1	TC400RC
1	TC450RC
1	TC550RC
1	TC600RC
1	TC700RC*
1	TC800RC



8E-6208	8E-6209
8E-6258	8E-6259
9J-2308	8E-6259
8E-6358	8E-6359
7T3408	8E-8409
8E-0468	8E-8469
6Y-8558	8E-5559
6I6608	6I-6609
4T4708	4T-4707
134-0808	134-1809

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
160	60	63	48	1.3
220	79	94	63	3.5
250	93	104	75	5.6
279	109	116	89	7.7
310	120	130	100	10.5
331	137	142	108	13.9
383	163	157	144	23.2
455	198	189	163.5	39
515	212	205	180	50
600	247	235	207	83

New J350 Rock Chisel Tip

TC350RC

Material	F3
Weight	7.7KG
Adapter	3G8354HD
Pin	8E-6358
Retainer	8E-6359



*Not currently in our range.



New J450 Rock Chisel Tip

TC450RC

Material	F2
Weight	13.9KG
Adapter	6I6464HD
Pin	8E-0468
Retainer	8E-8469



TC450RC Products Details



Top View



Side View



Bottom View



Cross - Section

New J550 Rock Chisel Tip

TC550RC

Material	F2
Weight	23.2KG
Adapter	6I6554HD
Pin	6Y-8558
Retainer	8E-5559



TC550RC Products Details




Top View



Side View



Bottom View



Cross - Section



New J600 Rock Chisel Tip

TC600RC

Material	F4 Mining
Weight	39KG
Adapter	6I6464HD
Pin	6I-6608
Retainer	6I-6609



TC600RC Products Details



Top View



Side View



Bottom View



Cross - Section

New J700 Rock Chisel Tip

TC700RC

Material	F4 Mining
Weight	50KG
Adapter	222-7700
Pin	4T-4708
Retainer	4T-4707



TC700RC Products Details



Top View



Side View



Bottom View



Front View



Cross-Section



New J800 Rock Chisel Tip

TC800RC

Material	F4 Mining
Weight	83KG
Adapter	357-6516
Pin	134-0808
Retainer	134-1809



TC800RC Products Details



Top View



Side View



Bottom View




Front View



Cross-Section

Komatsu Rock Chisel Excavator



TIPS

1	TK200RC
1	TK300RC
1	TK400RC
1	TK450RC*
1	TK650RC*
1	TK1250RC*



09244-02496
09244-025016
09244-03036
09244-03036
209-70-54240
21N-72-14330

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
257	101	108	78	5.5
295	126	117	98	8.8
335	147.5	133	117	13.6
355	152	136	109	14.8
462	181	201	130	33
520	1800	253	132	50



New PC200 Rock Chisel Tip

TC200RC

Material	F3
Weight	5.5KG
Adapter	205-939-7120
Pin	09244-02496



TK200RC Products Details



Top View



Side View



Bottom View



Cross - Section

New PC300 Rock Chisel Tip

TC200RC

Material	F3
Weight	8.8KG
Adapter	207-939-3120ST
Pin	09244-02516



TK300RC Products Details



Top View



Side View



Bottom View



Cross - Section



New PC400 Rock Chisel Tip

TC400RC

Material	F3
Weight	13.7KG
Adapter	208-939-3120ST
Pin	09244-03036



TK400RC Products Details



Top View



Side View



Bottom View



Cross - Section

New PC750 Rock Chisel Tip

TC750RC

Material	F2
Weight	33.5KG
Adapter	209-70-74140
Pin	209-70-54240



TK750RC Products Details



Top View



Side View



Bottom View



Cross - Section



TK750RC Assembly



GET Platform - New PC1250 Rock Chisel Tip

TC1250RC

Material	F4 Mining
Weight	53.5KG
Adapter	21N-72-14140
Pin	21N-72-14330



GET Platform - TK1250RC Products Details



Top View



Side View



Bottom View




Front View



Cross-Section



TK1250RC Assembly



J800 Hammerless Assembly



J800 Hammerless Assembly



CAPIPARTS

CATERPILLAR K-SERIES

WWW.CAPIPARTS.CO.ZA

CEP
Capital Equipment Parts

YOUR MINING PARTS SPECIALISTS



CATERPILLAR K-SERIES - Penetration Plus



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	220-9083	475-5470
K90	220-9093	475-5482
K100	220-9103	475-5494
K110	286-2114	467-9823
	220-9113	
K130	220-9133	467-9813
K150	229-7153	467-9817
K170	232-0173	*



5.3

6.4

10.1

16.1

21

33.4

47

CATERPILLAR K-SERIES - General Duty



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	220-9089	475-5473
K90	220-9099	475-5484
K100	220-9109	475-5497
K110	286-2117	467-9824
	220-9119	
K130	220-9139	470-7978
K150	229-7159	470-7985
K170	232-0179	*



5

6.4

9

11.6

18.8

29.5

40.3

*Not currently in our range.



CATERPILLAR K-SERIES - Extra Duty



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	220-9081	475-5468
K90	220-9091	475-5480
K100	220-9101	475-5492
K110	232-2111	467-9821
	286-2112	
K130	264-2131	467-9815
K150	264-2151	467-9819
K170	264-2171	*



6
8
11.2
15.7
24.7
37.4
53

CATERPILLAR K-SERIES - Penetration



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	220-9082	475-5469
K90	220-9092	475-5481
K100	220-9102	475-5493
K110	220-9112	467-9822
	286-2113	
K130	220-9132	470-7975
K150	229-7152	470-7982
K170	232-0172	K170VIP替代



4
5.5
8
10.2
16.2
27.4
41

*Not currently in our range.



CATERPILLAR K-SERIES - Double Spike



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	220-9088	475-5472
K90	220-9098	475-5491
K100	220-9108	475-5496
K110	220-9118	470-7973
	286-2116	
K130	220-9138	470-7977
K150	229-7158	470-7984
K170	232-0178	*



WEIGHT

5.1

7.2

10

13.7

19.7

30

46.2

CATERPILLAR K-SERIES - Spike



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	220-9087	470-5471
K90	220-9097	475-5483
K100	220-9107	475-5495
K110	220-9117	470-7972
	286-2115	
K130	220-9137	470-7973
K150	229-7157	470-7983
K170	232-0177	K170VIP



WEIGHT

4.2

5.9

8.3

11.2

16.5

27.1

38.6

*Not currently in our range.



CATERPILLAR K-SERIES - Spike



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	222-1080	475-5474
K90	222-1090	475-5485
K100	223-8100	475-5498
K110	223-8110	470-7986
	286-2111	
K130	223-8130	470-7979
K150	195-5151	470-7981
K170	223-8170	*



5.7

8.3

11.6

14.2

28.1

38.5

57.5

CATERPILLAR K-SERIES - Rock Chisel



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	K80RC	*
K90	K90RC	220-9099RC
K100	K100RC	*
K110	K110RC	*
K130	K130RC	*



5.3

6.6

10.5

12.5

23.5

*Not currently in our range.



CATERPILLAR K-SERIES - Tiger VIP



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	K80VIP	*
K90	K90VIP	*
K100	K100VIP	*
K110	K110VIP	*
K130	K130VIP	*



4.3
5.7
8.4
11.2
16.3

CATERPILLAR K-SERIES - Abrasion



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	222-1081	475-5475
K90	222-1091	475-5486
K100	223-8101	475-5499
K110	232-2112	467-9825
	286-2118	
K130	264-2132	467-9816
K150	264-2152	467-9819
K170	264-2172	*



8.7
11.1
15
20.2
30.5
50
62.5

*Not currently in our range.



CATERPILLAR K-SERIES - Rock Abrasion



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	222-1082	475-5476
K90	222-1092	475-5487
K100	223-8102	475-5500
K110	286-2119	470-7974
	223-8112	
K130	223-8132	467-9814
K150	229-7156	467-9818
K170	232-2178	/



7.8
10.8
13.7
21
31.1
50
71.5



SIZE	PART NO.	ALTERNATIVE PART NO.
K80	220-9090	*
K90	220-9090	*
K100	220-9090	*
K110	286-2110	*
K130	220-9130	*
K150	233-7150	*
K170	232-0170	*




0.12
0.12
0.12
0.2
0.32
0.55
0.75

*Not currently in our range.




CATERPILLAR K-SERIES - K80 Excavator Adapter



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2-Strap	220-9084	*	36
RH 2 Strap Corner (4 degrees)	220-9085	*	36
LH 2 Strap Corner (4 degrees)	220-9086	*	36
RH 2 Strap Corner (0 degrees)	229-7085	*	36
LH 2 Strap Corner (0 degrees)	229-7086	*	36
RH 2 Strap Corner (5 degrees)	232-2085	*	36
LH 2 Strap Corner (5 degrees)	232-2086	*	36

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	90	11.6	8.2
22.5	92	11.6	7.8
22.5	92	11.6	7.8
22.5	92	11.6	8
22.5	92	11.6	8
22.5	109	11.6	8.2
22.5	109	11.6	8.2

CATERPILLAR K-SERIES - K80 Loader Adapter




SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center Bolt On Adapter	222-1087	*	32
Center Bolt On Adapter	229-7087	*	25
RH Bolt On Corner Adapter	222-1088	*	25/32
LH Bolt On Corner Adapter	222-1089	*	25/32
Flushmount Adapter	229-7084	*	25-38

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	107	14	14.2
22.5	108	14	12.9
22.5	N/A	14	21
22.5	N/A	14	21
22.5	92	14	9

*Not currently in our range.




CATERPILLAR K-SERIES - K80 Excavator Adapter



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2-Strap	220-9094	*	40
RH 2 Strap Corner (0 degrees)	223-8095	*	40
LH 2 Strap Corner (0 degrees)	223-8096	*	40
RH 2 Strap Corner (4 degrees)	220-9095	*	40
LH 2 Strap Corner (4 degrees)	220-9096	*	40
RH 2 Strap Corner (5 degrees)	232-2095	*	40
LH 2 Strap Corner (5 degrees)	232-2096	*	40

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	99	10	11.2
22.5	99	10	10.2
22.5	99	10	10.2
22.5	99	10	10.4
22.5	99	10	10.4
22.5	123	10	13.1
22.5	123	10	13.1

CATERPILLAR K-SERIES - K80 Loader Adapter




SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2 Strap	222-1094	*	40
RH 2 Strap	222-1095	*	40
LH 2 Strap	222-1096	*	40
Center Bolt On Adapter	222-1097	*	40
Center Bolt On Adapter	223-8097	*	32
RH Bolt On Corner Adapter	229-7098	*	32/40
LH Bolt On Corner Adapter	229-7099	*	32/40
Flushmount Adapter	229-7094	*	32-45

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	99	14	14.6
22.5	99	14	14.7
22.5	99	14	14.7
22.5	130	14	17.6
22.5	122	14	20.1
22.5	N/A	14	27.6
22.5	N/A	14	27.6
22.5	99	14	14.6

*Not currently in our range.




CATERPILLAR K-SERIES - K100 Excavator Adapter



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2-Strap	220-9104	*	45
RH 2 Strap Corner (0 degrees)	232-0105	*	45
LH 2 Strap Corner (0 degrees)	232-0106	*	45
RH 2 Strap Corner (4 degrees)	220-9105	*	45
LH 2 Strap Corner (4 degrees)	220-9106	*	45
RH 2 Strap Corner (5 degrees)	232-2105	*	45
LH 2 Strap Corner (5 degrees)	232-2106	*	45

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	110	10	13.6
22.5	110	10	12.1
22.5	110	10	12.1
22.5	110	10	12.4
22.5	110	10	12.4
22.5	135	10	15.9
22.5	135	10	15.9

CATERPILLAR K-SERIES - K100 Loader Adapter




SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2 Strap	223-8104	*	45
RH 2 Strap	223-8105	*	45
LH 2 Strap	223-8106	*	45
Center 2 Strap Long Life (ARM)	229-7100	*	45
RH 2 Strap Long Life (ARM)	229-7101	*	45
LH 2 Strap Long Life (ARM)	229-7102	*	45
Center Bolt On Adapter	223-8107	*	45
RH Bolt On Corner Adapter	223-8108	*	45
LH Bolt On Corner Adapter	223-8109	*	45
Flushmount Adapter	229-7104	*	38-51

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	110	14	17.8
22.5	110	14	18
22.5	110	14	18
22.5	110	14	18.3
22.5	110	14	18.2
22.5	110	14	18.2
22.5	130	14	25.1
22.5	N/A	14	40
22.5	N/A	14	40
22.5	110	14	16.2




CATERPILLAR K-SERIES - K110 Excavator Adapter



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2-Strap	309-1114	469-4311	60
RH 2 Strap Corner (4 degrees)	309-1117	469-4314	60
LH 2 Strap Corner (4 degrees)	309-1118	469-4315	60
RH 2 Strap Corner (5 degrees)	309-1115	469-4312	60
LH 2 Strap Corner (5 degrees)	309-1116	469-4313	60

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	120	9	22.3
22.5	120	9	21
22.5	120	9	21
22.5	152	9	25.4
22.5	152	9	25.4

CATERPILLAR K-SERIES - K110 Loader Adapter



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2 Strap	315-0114	472-0811	51
RH 2 Strap	315-0115	472-0812	51
LH 2 Strap	315-0116	472-0813	51
Center 2 Strap Long Life (ARM)	309-1110	472-7747	51
RH 2 Strap Long Life (ARM)	309-1111	472-7748	51
LH 2 Strap Long Life (ARM)	309-1112	472-7749	51
Center Bolt On Adapter	315-0117	472-0814	50
RH Bolt On Corner Adapter	315-0118	472-0815	50
LH Bolt On Corner Adapter	315-0119	472-0816	50
Flushmount Adapter	309-1113	472-0826	45-51

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	157	14	21.1
22.5	157	14	23.2
22.5	157	14	23.2
22.5	157	14	23
22.5	157	14	24
22.5	157	14	24
22.5	159	14	24.5
22.5	N/A	14	47.5
22.5	N/A	14	47.5
22.5	160	14	23

*Not currently in our range.



CATERPILLAR K-SERIES - K130 Excavator Adapter



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2-Strap	232-0130	469-4316	70
RH 2 Strap Corner (4 degrees)	232-0131	469-4317	70
LH 2 Strap Corner (4 degrees)	232-0132	469-4318	70
RH 2 Strap Corner (5 degrees)	264-2135	469-4319	70
LH 2 Strap Corner (5 degrees)	264-2136	469-4320	70

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	170	9	37
22.5	169	9	37.1
22.5	169	9	37.1
22.5	168	9	41.5
22.5	168	9	41.5

CATERPILLAR K-SERIES - K130 Loader Adapter



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2 Strap	232-0134	472-0794	51
RH 2 Strap	232-0135	472-0795	51
LH 2 Strap	232-0136	472-0796	51
Center 2 Strap Long Life (ARM)	232-2134	472-7753	51
RH 2 Strap Long Life (ARM)	232-2135	472-7754	51
LH 2 Strap Long Life (ARM)	232-2136	472-7755	51
Center 2 Strap	223-8134	472-0790	63.5
RH 2 Strap	223-8135	472-0791	63.5
LH 2 Strap	223-8136	472-0792	63.5
Center 2 Strap Long Life (ARM)	229-7130	472-7750	63.5
RH 2 Strap Long Life (ARM)	229-7131	472-7751	63.5
LH 2 Strap Long Life (ARM)	229-7132	472-7752	63.5
Center Flushmount Adapter	232-0138	472-0797	51-64
RH/LF Corner Flushmount Adapter	232-0139	472-0798	51-64
Center Flushmount Adapter	229-7134	472-0793	51-64

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	178	15	40.6
22.5	179	15	40.5
22.5	179	15	40.5
22.5	178	15	41.4
22.5	179	15	41.4
22.5	179	15	41.4
22.5	175	15	43
22.5	175	15	46
22.5	175	15	46
22.5	175	15	44
22.5	175	15	47
22.5	175	15	47
35	130	15	52.2
35	130	15	47.9
22.5	168	15	34.3

*Not currently in our range.



CATERPILLAR K-SERIES - K150 Excavator Adapter



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2-Strap	195-9154	472-0802	80
RH 2 Strap Corner (4 degrees)	195-9155	472-0803	80
LH 2 Strap Corner (4 degrees)	195-9156	472-0804	80
RH 2 Strap Corner (5 degrees)	*	472-0809	80
LH 2 Strap Corner (5 degrees)	*	472-0810	80

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	196	8	46
22.5	199	8	51
22.5	199	8	51
22.5	198	8	54.1
22.5	198	8	54.1

CATERPILLAR K-SERIES - K150 Loader Adapter



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2 Strap	232-0154	472-0805	63.5
RH 2 Strap	232-0155	472-0806	63.5
LH 2 Strap	232-0156	472-0807	63.5
Center 2 Strap Long Life (ARM)	233-7154	472-7759	63.5
RH 2 Strap Long Life (ARM)	233-7155	472-7760	63.5
LH 2 Strap Long Life (ARM)	233-7156	472-7761	63.5
Center 2 Strap	195-7154	472-0799	70
RH 2 Strap	195-7155	472-0800	70
LH 2 Strap	195-7156	472-0801	70
Center 2 Strap Long Life (ARM)	232-2150	472-7756	70
RH 2 Strap Long Life (ARM)	232-2151	472-7757	70
LH 2 Strap Long Life (ARM)	232-2152	472-7758	70
Center Flushmount Adapter	233-0158	471-9579	64-76
RH/LF Corner Flushmount Adapter	233-0159	471-9578	64-76
Center Flushmount Adapter	232-2154	472-0808	64-76

&1 deg	Wide mm	&2 deg	KG WEIGHT
22.5	200	15	52.9
22.5	200	15	52.8
22.5	200	15	52.8
22.5	200	15	53.5
22.5	200	15	53.5
22.5	200	15	53.5
22.5	202	15	65.6
22.5	202	15	65.3
22.5	202	15	65.3
22.5	202	15	66.2
22.5	202	15	65.9
22.5	202	15	65.9
35	144	15	64.3
35	144	15	62.1
22.5	194	15	49.2

*Not currently in our range.



CATERPILLAR K-SERIES - K170 Excavator Adapters



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2-Strap	232-2170	478-2532	90
RH 2 Strap Corner (4 degrees)	232-2171	478-2533	90
LH 2 Strap Corner (4 degrees)	232-2172	478-2534	90
RH 2 Strap Corner (5 degrees)	*	478-2538	90
LH 2 Strap Corner (5 degrees)	*	478-2539	90

&1 deg	Wide mm	&2 deg	KG WEIGHT
35	208	8	82.2
35	207	8	81.2
35	207	8	81.2
35	211	8	76.3
35	211	8	76.3

CATERPILLAR K-SERIES - K170 Loader Adapters



SIZE	PART NO.	ALTERNATIVE PART NO.	EDGE THICKNESS
Center 2 Strap	232-0174	70	22.5
RH 2 Strap	232-0175	70	22.5
LH 2 Strap	232-0176	70	22.5
Center 2 Strap Long Life (ARM)	*	70	22.5
RH 2 Strap Long Life (ARM)	*	70	22.5
LH 2 Strap Long Life (ARM)	*	70	22.5
Center 2 Strap	232-2174	76	22.5
RH 2 Strap	232-2175	76	22.5
LH 2 Strap	232-2176	76	22.5
Center 2 Strap Long Life (ARM)	*	76	22.5
RH 2 Strap Long Life (ARM)	*	76	22.5
LH 2 Strap Long Life (ARM)	*	76	22.5
Center 2 Strap	286-2174	90	35
RH 2 Strap	286-2175	90	35
LH 2 Strap	286-2176	90	35
Center Flushmount Adapter	286-2178	76-90	35
RH/LF Corner Flushmount Adapter	363-7866	76-90	35

&1 deg	Wide mm	&2 deg	KG WEIGHT
225	225	15	66.9
225	225	15	66.9
225	225	15	66.9
225	225	15	67.6
225	225	15	67.7
225	225	15	67.7
214	214	15	72.2
214	214	15	72.2
214	214	15	72.2
214	214	15	73
214	214	15	73
214	214	15	73
214	214	15	76.2
214	214	15	76.1
214	214	15	76.1
160	160	15	80.6
160	160	15	71.5

*Not currently in our range.

CAPIPARTS

CATERPILLAR ADVANSYS

WWW.CAPIPARTS.CO.ZA

CEP
Capital Equipment Parts

YOUR MINING PARTS SPECIALISTS



CATERPILLAR ADVANSYS - Extra Duty



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
220-9081	6	220-9090	/	K80	EXTRA DUTY	ED81
220-9091	7.3	220-9090	/	K90	EXTRA DUTY	KR09
220-9091	7.9	220-9090	/	K90	EXTRA DUTY	ED91
220-9101	11	220-9090	/	K100	EXTRA DUTY	ED101
232-2111	18.8	286-2110	/	K110	EXTRA DUTY	ED111
264-2131	22.7	220-9130	/	K130	EXTRA DUTY	ED131
264-2151		233-7150	/	K150	EXTRA DUTY	ED151
264-2171	53.8	232-0170	/	K170	EXTRA DUTY	ED171

CATERPILLAR ADVANSYS - Penetration



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
220-9082	4.9	220-9090	/	K80	TIGER TEETH/PENETRATION	P82
220-9092	6.4	220-9090	/	K90	TIGER TEETH/PENETRATION	P92
220-9102	9.8	220-9090	/	K100	TEETH TIGER/PENETRATION	P102
220-9102	8.8	220-9090	/	K100	TEETH TIGER/PENETRATION	100TL
220-9112		286-2110	/	K110	TEETH TIGER/PENETRATION	P112
220-9132	16	220-9130	/	K130	PENETRATION	P132
229-7152		233-7150	/	K150	PENETRATION	P152
232-0172		232-0170	/	K170	PENETRATION	P172



CATERPILLAR ADVANSYS - Penetration Plus



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
220-9083	5	220-9090	/	K80	PENETRATION PLUS	PP83
220-9093	7	220-9090	/	K90	PENETRATION PLUS	PP93
220-9113/286-2114	15	286-2110	/	K110	PENETRATION PLUS	PP113
220-9113/286-2114	16.7	286-2110	/	K110	PENETRATION PLUS	PP114
220-9133	22	220-9130	/	K130	PENETRATION PLUS	PP133
229-7153		233-7150	/	K150	PENETRATION PLUS	PP153
232-0173	47.1	232-0170	/	K170	PENETRATION PLUS	PP173

CATERPILLAR ADVANSYS - General Duty



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
220-9089	5	220-9090	/	K80	GENERAL DUTY	GD89
220-9099	6	220-9090	/	K90	GENERAL DUTY	GD99
220-9109	9	220-9090	/	K100	GENERAL DUTY	GD109
220-9119/286-2117	15.5	286-2110	/	K110	GENERAL DUTY	GD119
220-9139	18.4	220-9130	/	K130	GENERAL DUTY	GD139
229-7159	30	233-7150	/	K150	GENERAL DUTY	GD159



CATERPILLAR ADVANSYS - Heavy Penetration



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
222-1081	8.7	220-9090	/	K80	HEAVY PENETRATION	HP81
222-1091	11	220-9090	/	K90	HEAVY PENETRATION	HP91
223-8101	14.9	220-9090	/	K100	HEAVY PENETRATION	HP101
232-2112/223-8111	20	286-2110	/	K110	HEAVY PENETRATION	HP111
264-2132	30.6	220-9130	/	K130	HEAVY PENETRATION	HP132
264-2152	46	233-7150	/	K150	HEAVY PENETRATION	HP152
264-2172	61	232-0170	/	K170	HEAVY PENETRATION	HP172
264-2172	68.5	232-0170	/	K170	HEAVY PENETRATION	170AR

CATERPILLAR ADVANSYS - Heavy Abrasion



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
222-1082		220-9090	/	K80	HEAVY ABRASION	HA82
222-1092	10.7	220-9090	/	K90	HEAVY ABRASION	HA92
223-8102		220-9090	/	K100	HEAVY ABRASION	HA102
		286-2110	/	K110	HEAVY ABRASION	HA112
223-8132		220-9130	/	K130	HEAVY ABRASION	HA132
229-7156	48	233-7150	/	K150	HEAVY ABRASION	HA156
232-2178	71.9	232-0170	/	K170	HEAVY ABRASION	HA178



CATERPILLAR ADVANSYS - 2 Strap Weld-On



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
220-9084	8.5	220-9090	/	K80	TWO STRAP WELD-ON	AD84-36MM
220-9094	10.5	220-9090	/	K90	TWO STRAP WELD-ON	AD94-40MM
220-9104	14	220-9090	/	K100	TWO STRAP WELD-ON	AD104-45MM
220-9104	14	220-9090	/	K100	TWO STRAP WELD-ON	AD104-50MM
232-0114	24	286-2110	/	K110	TWO STRAP WELD-ON	AD114-60MM
309-1114	24	286-2110	/	K110	TWO STRAP WELD-ON	AD114-60MM
232-0130	32	220-9130	/	K130	TWO STRAP WELD-ON	AD130-70MM
195-9154		233-7150	/	K150	TWO STRAP WELD-ON	AD150-80MM
K170Z	74	232-0170	/	K170	TWO STRAP WELD-ON	AD170

CATERPILLAR ADVANSYS - Bolt on Center



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
222-1087				K80	BOLT ON CENTER	BO87-35mm
222-1088				K80	BOLT ON CORNER(RH)	BOR88-35mm
222-1089				K80	BOLT ON CORNER(LH)	BOL89-35mm
222-1095				K90	BOLT ON CORNER(RH)	BO95-40mm
222-1096				K90	BOLT ON CORNER(LH)	BO96-40mm
222-1097	17.4			K90	BOLT ON CENTER	BO97-40mm



CATERPILLAR ADVANSYS - *Spike*



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
505-4084		516-9166	505-9165	A80	SPIKE	CA084S
505-4098		516-9168	516-9167	A90	SPIKE	CA098S
505-4104	12.8	516-9168	516-9167	A100	SPIKE	CA104S
505-4114		456-7043	456-7042	A110	SPIKE	CA114S
381-4090		456-7043	456-7042	A130	SPIKE	CA090S
368-3787		456-1689	454-9600	A150	SPIKE	CA787S
		456-1689	454-9600	A170	SPIKE	CA870S

CATERPILLAR ADVANSYS - *Penetration*



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
505-4081		516-9166	505-9165	A80	PENETRATION	CA081P
505-4091		516-9168	516-9167	A90	PENETRATION	CA091P
505-4101		516-9168	516-9167	A100	PENETRATION	CA101P
505-4111		456-7043	456-7042	A110	PENETRATION	CA111P
381-4093	22.3	456-7043	456-7042	A130	PENETRATION	CA130TL-2
368-3785		456-1689	454-9600	A150	PENETRATION	CA785P
368-3868		456-1689	454-9600	A170	PENETRATION	CA868P
368-3877		454-0278	454-0277	A200	PENETRATION	CA877P



CATERPILLAR ADVANSYS - Heavy Penetration Rock



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
505-3980		516-9166	505-9165	A80	HEAVY PENETRATION ROCK	CA980HP
505-3990		516-9168	516-9167	A90	HEAVY PENETRATION ROCK	CA990HP
505-4000		516-9168	516-9167	A100	HEAVY PENETRATION ROCK	CA000HP
505-4010		456-7043	456-7042	A110	HEAVY PENETRATION ROCK	CA010HP
381-4095		456-7043	456-7042	A130	HEAVY PENETRATION ROCK	CA095HP
368-3862		456-1689	454-9600	A150	HEAVY PENETRATION ROCK	CA862HP
368-3873	54.5	456-1689	454-9600	A170	HEAVY PENETRATION ROCK	CA873HP
385-4812		454-0278	454-0277	A200	HEAVY PENETRATION ROCK	CA812HP

CATERPILLAR ADVANSYS - Penetration Plus



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
505-4083		516-9166	505-9165	A80	PENETRATION PLUS	CA083PP
505-4097		516-9168	516-9167	A90	PENETRATION PLUS	CA097PP
505-4103		516-9168	516-9167	A100	PENETRATION PLUS	CA103PP
505-4113	16.7	456-7043	456-7042	A110	PENETRATION PLUS	CA113PP
381-4089	25	456-7043	456-7042	A130	PENETRATION PLUS	CA089PP
368-3783		456-1689	454-9600	A150	PENETRATION PLUS	CA783PP
368-3869	42.5	456-1689	454-9600	A170	PENETRATION PLUS	CA869PP
368-3878		454-0278	454-0277	A200	PENETRATION PLUS	CA878PP



CATERPILLAR ADVANSYS - Weld On Adapter



OEM PART NO.	WEIGHT(KG)	PIN	RETAINER	FAMILY	DESCRIPTION	FACTORY NO.
505-4130-36mm		516-9166	505-9165	A80	CENTER ADAPTER	CA130ADC
505-4140-40mm		516-9168	516-9167	A90	CENTER ADAPTER	CA140ADC
505-4150-45mm		516-9168	516-9167	A100	CENTER ADAPTER	CA150ADC
505-4160-60mm		456-7043	456-7042	A110	CENTER ADAPTER	CA160ADC
368-3780-70mm		456-7043	456-7042	A130	CENTER ADAPTER	CA780ADC
368-3800-80mm		456-1689	454-9600	A150	CENTER ADAPTER	CA800ADC
368-3822-90mm	80	456-1689	454-9600	A170	CENTER ADAPTER	CA822ADC
		454-0278	454-0277	A200	CENTER ADAPTER	CA849ADC

CAPIPARTS

WWW.CAPIPARTS.CO.ZA



For the latest product info scan here

CEP
Capital Equipment Parts

Head Office

-  +27 11 568 4215
-  info@capiparts.co.za
-  www.capiparts.co.za
-  198 High Road, Bredell, Kempton Park, 1623, South Africa

Mozambique Branch

-  Tel: +258 84 128 88 87
-  info@capiparts.co.za
-  www.capiparts.co.za
-  Cidade de Tete, Zona Industrial, Bairro Matundo, Parcela, n.º 1631

YOUR #1 SOURCE FOR AFFORDABLE
GPM (Genuine Parts Manufacturer) Parts and Surplus Parts.

