

CAPIPARTS
YOUR MINING PARTS SPECIALISTS

GROUND ENGAGING TOOLS
G.E.T. FOR
KOMATSU MACHINES



CEP
Capital Equipment Parts

WWW.CAPIPARTS.CO.ZA



CONTENTS

KOMATSU	03
KOMATSU K-MAX	29
KOMATSU XS	39



CAPIPARTS

KOMATSU






WWW.CAPIPARTS.CO.ZA

CEP
Capital Equipment Parts

YOUR MINING PARTS SPECIALISTS



KOMATSU - PC60 Excavator



TIPS		
1	PC60RC 201-70-24140RC	Rock Chisel
2	PC60 201-70-24140	Standard
3	*	Short Rock Chisel
4	*	Rock Chisel Heavy
5	*	Heavy Duty Standard
6	*	Tiger Long
7	PC60VIP 201-70-24140 VIP	Tiger Long-CentralSharp
8	*	Symmetrical
9	25S 20X-70-23161	Esco Standard Komatsu
10	20X-70-00150	Penetration Heavy Duty
11	25-30PN 25-30LK	Pin

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
167	74.5	46	70	1.7
165	74.5	53	70	1.8
				*
				*
				*
				*
195	69.5	*	71.5	1.6
				*
174	79	79	64	2.5
				0.15
				0.1
				0.03

*Not currently in our range.



KOMATSU - PC60 Excavator Adapter




ADAPTERS

1	PC60-16 201-70-24130	Adapter
1	PC60-20	Adapter
2	20X-70-23150	Adapter-ESCO
3	20X-70-00150 25-30PN 25-30LK	Pin

H	L	B	C	KG
mm	mm	mm	mm	WEIGHT
63	222	16-20	55	2.4
				2.3
66	224	20	58	2.4
				2.3
80	238	25	75	5.5
				0.15
				0.1
				0.03

KOMATSU - PC60 Excavator Adapter






SIDE CUTTER

201-70-74170 L	Side Cutter-PC60	PC70 PC100 PC60
201-70-74171 R	Side Cutter-PC60	PC70 PC100 PC60

A	B	C	KG
mm	mm	mm	WEIGHT
312	150	18.3	5.7
312	150	18.3	5.7



KOMATSU - PC100 Excavator



Pin



Retainer

TIPS


1	PC100RC 20X-70-14160RC	Rock Chisel
2	PC100 20X-70-14160	Standard
2	PC100LD	Standard
4		Rock Chisel Heavy
5		Heavy Duty Standard
6		Tiger Long
7	PC100VIP 20X-70-14160VIP	Tiger Long-CentralSharp
8		Symmetrical
9	30S 203-70-43150	Esco Standard Komatsu
10		Penetration Heavy Duty
	20X-70-00100	
11	25-30PN 25-30LK	Lock

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
188	78	57	79	2.5
175	78	62	75	2.3
175	78	60	70	2
220	77	*	77	2.1
181	76	93	77	2.6
				0.2
				0.1
				0.03

*Not currently in our range.



KOMATSU - PC100 Excavator Adapter



Pin



Retainer

ADAPTERS



1	20X-70-14151	Adapter
1	20X-70-14151-22	Adapter
1	PC100-25	Adapter
2	203-70-43150	Adapter-ESCO
	3807-30	
3	20X-70-00100	Lock
	25-30PN	Lock
	25-30LK	

H	L	B	C	KG
mm	mm	mm	mm	WEIGHT
243	75	18-23	69	2.9
243	75	22	70	3.1
241	73	25	63	2.9
313	100	30		7.5
				0.2
				0.1
				0.03

*Not currently in our range.



KOMATSU - PC120 Excavator




TIPS		
1	202-70-12130RC	Rock Chisel
2	202-70-12130	Standard
3		Short Rock Chisel
4		Rock Chisel Heavy
5		Heavy Duty Standard
6		Tiger Long
7		Tiger Long-CentralSharp
8		Symmetrical
9		Esco Standard Komatsu
10		Penetration Heavy Duty
11	09244-02489	Lock

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
235	95	100	78	4.8
205	92	93	88	4.2
				2.5
				0.35

*Not currently in our range.



KOMATSU - PC60 Excavator Adapter



Pin




Retainer

ADAPTERS

1	202-70-12140-25	Adapter
1	202-70-12140-30	Adapter
2	09244-02489	Lock

H	L	B	C	KG
mm	mm	mm	mm	WEIGHT
282	97	25	91	6.8
282	97	30	91	6.8
				0.35

KOMATSU - PC60 Excavator Adapter



SIDE CUTTER


202-70-63161L	Side Cutter-PC120	PC120
21K-70-14180		
202-70-63171R	Side Cutter-PC120	PC120
21K-70-14190		

A	B	C	KG
mm	mm	mm	WEIGHT
387	170	18.5	7.5
387	170	18.5	7.5

*Not currently in our range.



KOMATSU - PC120 Excavator




TIPS		
1	PC200RC 205-70-19570RC	Rock Chisel
1	205-70-19570RS S	Rock Chisel
1	PC200LDRC	Rock Chisel
2	205-70-19570 205-70-19570HD	Standard
3	205-70-19570TR	Short Rock Chisel
4	205-70-19570RCHD*	Rock Chisel Heavy
5	205-70-68260	Heavy Duty Standard
6	PC200TL	Tiger Long
7	PC200VIP 205-70-19570VIP	Tiger Long-CentralSharp
8	205-70-19570SYL	Symmetrical
8	20Y-70-K4030	Symmetrical
9	35S 205-70-74272	Esco Standard Komatsu
10	*	Penetration Heavy Duty
11	09244-02496 35PN 35LK	Lock

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
257	107	101	78	5.5
254	105	101	78	5.2
248	105	101	77	4.9
217	104	97	74	4.1
225	104	97	77	4.5
240	104	98	77	4.9
246	110	105	77	6.6
260	110	102	82	6.2
				4.8
275	105	99	*	5
227	105	99	72	4.15
226	104	98	77	4.3
213	92	111	86	4.3
				*
				0.38
				0.13
				0.03

*Not currently in our range.



KOMATSU - PC200 Excavator Adapter



ADAPTERS		
1	205-939-7120	Standard
1	20Y-70-14520	Standard
1	205-939-7120	Standard
1	205-939-7120	Standard
2	205-939-7120-K	Standard
2	20Y-70-14520-K	Light Adapter
3	20Y-939-1180	Heavy Adapter
3	20Y-939-1180	Heavy Adapter
4	205-70-68141	Belvel Adapter
5	20Y-70-14180	Adapter-ESCO
	3808-35	
6	09244-02496	Lock
	35PN	
	35LK	

H	L	B	C	KG
mm	mm	mm	mm	WEIGHT
104	319	32	90	7.8
104	319	36	90	7.8
104	319	36	90	7.6
104	319	40	90	7.5
100	301	32	90	6.7
100	301	36	90	6.6
112	333	40	90	9.2
112	333	45	90	9
112	286	40	89	7.1
100	294	32	100	7.5
				0.38
				0.13
				0.03



KOMATSU - Bucket Side Cutter



SIDE CUTTER


205-70-74180 L(F)	Side Cutter-PC200	PC200
205-70-74190 R(F)	Side Cutter-PC200	PC200

A	B	C	KG
mm	mm	mm	WEIGHT
505	188	20-24	13.2
505	188	20-24	13.2

*Not currently in our range.



KOMATSU - PC300 Excavator



TIPS



1	PC300RC	Rock Chisel
	207-70-14151RC	
2	207-70-14151	Standard
2	207-70-14151HD	Standard
2	9313T30	Light
3	207-70-14151TR	Short Rock Chisel
4	207-70-14151RCHD*	Rock Chisel Heavy
5A	207-70-14280	Heavy Duty Standard
5B	207-70-14280HD	Heavy Duty Standard
6	PC300TL	Tiger Long
7	PC300VIP	Tiger Long-CentralSharp
	207-70-14151VIP	
8	207-70-14151SYL*	Symmetrical
9	40S	Esco Standard Komatsu
	206-70-54221	
9	206-70-54221 HD	Esco Standard Komatsu
10	PC300PHD*	Penetration Heavy Duty
11	PC300TL-B*	Tiger Long
12	09244-02516	Lock
	40PN	
	40LK	

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
290	121	128	90	8.8
244	113	121.5	101	6.6
247	114	123	93	6.8
241	116	123	89	5.9
283	118	123	84	7.8
285	121	128	90	10.5
282	119	124	100	9
282	119	124	100	9.3
250	124	131	104	8.4
320	115	124	10	8
				*
240	104	124	104	5.7
223	109	132	96	7.5
				*
350	124	*	117	7.7
				0.48
				0.22
				0.03

*Not currently in our range.



KOMATSU - PC300 Excavator Adapter





ADAPTERS

1	207-939-3120-40	Solid
1	207-939-3120-45	Standard
2	207-939-3120ST-40	Standard
2	207-939-3120ST-45	Standard
3	207-939-3120HD-45	Standard
3	207-939-3120HD-50	Standard
4	207-934-7120-55	Standard
	207-934-5120-55	
4	207-934-7120-60	Standard
	207-934-5120-60	
5	207-70-14142-40-23°	Belve
6	207-939-3120-40	Light
6	207-939-3120W	Light
7	206-70-54221	Adapter-ESCO
	3809-40	
	09244-02516	
5	40PN 40LK	Lock

H	L	B	C	KG
mm	mm	mm	mm	WEIGHT
121	368	40	122	14.2
121	368	45	122	13.8
126	370	40	112	13.6
126	370	45	112	13.4
134	370	45	112	14.3
134	370	50	112	14.1
138	383.5	55	116	19
138	383.5	60	116	19.3
117	368	40	117	14.8
114	331	40	110	10.2
121	377	40	113	12.7
		40		11.4
				0.48
				0.22
				0.03



KOMATSU - Bucket Side Cutter



SIDE CUTTER


207-70-34170 L	Side Cutter-PC300	PC220
		PC240
		PC280
		PC290
		PC300
		PC340
		PC360
		PC380
207-70-34180 R	Side Cutter-PC300	PC220
		PC240
		PC280
		PC290
		PC300
		PC340
		PC360
		PC380

A	B	C	KG
mm	mm	mm	WEIGHT
402	348	25	14.8

*Not currently in our range.



KOMATSU - PC400 Excavator



TIPS




1	PC400RC	Rock Chisel
	208-70-14152RC	
1	PC450RC	Rock Chisel-Langer
2	208-70-14152	Standard
2	208-70-14152HD	Standard
3	208-70-14152TR	Short Rock Chisel
4	208-70-14152RCHD*	Rock Chisel Heavy
5	208-70-14270	Heavy Duty Standard
6	PC400TL	Tiger Long
7	PC400VIP	Tiger Long-CentralSharp
	208-70-14152VIP	
8	208-70-14152SYL*	Symmetrical
9	45S	Esco Standard Komatsu
	208-70-34221	
10	*	Penetration Heavy Duty
11	PC450TL	Tiger Long
	09244-03036	
12	45PN	Lock
	45LK	

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
325	133	150	105	13.6
355	136	152	109	14.9
268	124	144	111	9.5
270	125	145	112	10.2
325	129	145	100	11.5
325	136	156	105	16
315	129	147	126	14
365	130	145	10	11.4
370	129	145	13	13.1
				*
265	118	143	112	10.1
				*
417	146	*	129	11.6
				0.8
				0.38
				0.22

*Not currently in our range.



KOMATSU - PC400 Excavator Adapter



ADAPTERS




1	208-939-3120ST	Standard
	208-939-3120ST	
	208-939-3120ST	
2	208-939-3120HD	Heavy Duty
	208-939-3120HD	
2	208-939-3120ST F	Heavy-Solid
	208-939-3120ST F	
	208-939-3120ST F	
2	208-934-7120 F	Adapter
	208-934-5120 F	
	208-939-3120ST F	
3	208-70-14143	Adapter Belvel
4	206-70-54221	Adapter-ESCO
	3810-45	
	09244-03036	
5	45PN	Lock
	45LK	

H	L	B	C	KG
mm	mm	mm	mm	WEIGHT
167	422	50	136	24.8
		55		24.2
		60		23.7
170	412	55	136	26.1
		60		26.1
157	408	50	135	24.8
		55		24.2
		60		23.7
157	408	60	135	24.8
				24.2
				23.7
133	410	51	136	22
128	375	45	127	10.2
				0.8
				0.38
				0.22

*Not currently in our range.



KOMATSU - Bucket Side Cutter




SIDE CUTTER			
1	208-70-34160 L	Side Cutter-PC400	PC400 PC400-5 PC450 PC450LC
1	208-70-34170 R	Side Cutter-PC400	PC400 PC400-5 PC450 PC450LC
2	208-934-7131	GUARD	PC400

A	B	C	KG
mm	mm	mm	WEIGHT
408	399	29	22.7
550	125	42	14

*Not currently in our range.



KOMATSU - PC650 Excavator



TIPS


1	209-70-54210RC	Rock Chisel
2	209-70-54210	Standard
3	*	Short Rock Chisel
4	*	Rock Chisel Heavy
5	*	Heavy Duty Standard
6	PC650TL	Tiger Long
7	PC650VIP 209-70-54210VIP	Tiger Long-CentralSharp
8	*	Symmetrical
9	*	Esco Standard Komatsu
10	PC650PHD	Penetration Heavy Duty
11	PC750TL-B	Tiger Long
12	209-70-54240	Lock

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
458	194	179	128	32
350	189	179	140	28
				*
				*
450	194	183		27.3
460	193	181		28
				*
				*
460	194	180	144	33
490	179	*	190	24
				1.35

*Not currently in our range.



KOMATSU - PC650 Excavator Adapter



Pin




Retainer

ADAPTERS

1	209-70-74140	Standard
2	209-70-74141	Belve
3	209-70-54240	Lock

H	L	B	C	KG
mm	mm	mm	mm	WEIGHT
200	552	80	170	49.5
206	563	80	170	50
				1.35

KOMATSU - Bucket Side Cutter



PROTECTORS



209-70-54610 (4006)	PC650
	PC750
	PC800

A	B	C	KG
mm	mm	mm	WEIGHT
534	181	92	28.5

*Not currently in our range.




KOMATSU - PC1250 Excavator



TIPS		
1	21N-72-14290RC	Rock Chisel
2	21N-72-14290	Standard
3	*	Short Rock Chisel
4	*	Rock Chisel Heavy
5	*	Heavy Duty Standard
6	21N-72-14290TL	Tiger Long
7	*	Tiger Long-CentralSharp
8	*	Symmetrical
9	*	Esco Standard Komatsu
10	*	Penetration Heavy Duty
11	PC1250TL*	Lock
12	21N-72-14330	Lock

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
520	252	183	154	54.5
432	242	178	162	43
				*
				*
				*
550	247	189		44
				*
				*
				*
*	*	*	*	44
				1.7

KOMATSU - PC1250 Excavator Adapter




ADAPTERS		
1	21N-70-14140	Standard
2	21N-72-14330	Lock

H	L	B	C	KG
mm	mm	mm	mm	WEIGHT
254	700	90	173	82
				1.7



KOMATSU - Loader Tip



TIPS


423-847-1140	Loader Tip	09244-02516
426-847-1110	Loader Tip	09244-03036
426-847-1220RP3	Loader Tip	09244-03036
427-70-13731*	Loader Tip	427-70-13790
427-70-13780*	Loader Tip	427-70-13790

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
267	118	123	98	8.6
287	138	134	104	12.5
360	148	130	156	28
				31
				50

*Not currently in our range.



KOMATSU - Loader Adapter



ADAPTERS


1	418-847-1120	Standard	
	418-847-1160	Standard	WA180
	418-847-1170	Standard	
	419-847-1111	Standard	WA250
	419-847-1121	Standard	WA320
	419-847-1131	Standard	
	423-847-1111	Standard	WA380
	423-847-1121	Standard	WA420
	423-847-1131	Standard	WA470
2	426-847-1121	Standard	WA600
	427-70-13743*	Standard	WA700

α	H	L	W	B	KG
mm	mm	mm	mm	mm	WEIGHT
23°	79	329	25	77	6.3
23°	81	210	25	125	6.7
23°	81	210	25	125	6.7
23°	93	349	28	95	10.5
23°	93	249	28	122	9.75
23°	93	249	28	122	9.75
24°	108	359	35	141	15.9
24°	108	359	35	139	15.9
24°	108	359	35	139	15.9
25°	147	473	60	131	24
40°	200	550	70	153	44*

*Not currently in our range.



KOMATSU - SK350 Excavator




TIPS

2	417-70-13251	Fork Teeth	22	02090-11265	
				09218-11916	
1	417-70-13261	Fork Teeth	22	02090-11265	WA150
				09208-11965	
1	417-70-13271	Fork Teeth	22	09218-11916	
2	418-70-13150	Fork Tip	25	423-70-13180	WA130
	417-70-B1390			02290-11422	
1	418-70-13160	Fork Tip	25	423-70-13180	WA130
				02290-11422	
1	418-70-13170	Fork Tip	25	423-70-13180	WA130
				02290-11422	
2	419-70-13114	Fork Tip	28	09208-12290	WA250
				09218-12219	WA320
1	419-70-13164	Fork Tip	28	09208-12290	WA250
				09218-12219	WA320
1	419-70-13174	Fork Tip	28	09208-12290	WA250
				09218-12219	WA320
2	77Z-70-10201	Fork Tip	36	09208-12595	WA380
	423-70-13114			09218-12219	WA420
1	423-70-13154	Fork Tip	36	423-70-12595	WA380
				09208-12219	WA420
1	423-70-13144	Fork Tip	36	423-70-12595	WA380
				09208-12219	WA420
2	423-70-13114K	Fork Tip	36	09208-12595	WA380
				09208-12219	WA420
1	423-70-13154K	Fork Tip	36	423-70-13180	WA380
				09290-11422	WA420
1	423-70-13144K	Fork Tip	36	423-70-13180	WA380
				09290-11422	WA420
	425-70-13212 *	Fork Tip	40		WA470
	425-70-13232 *	Fork Tip	40		
	425-70-13212 *	Fork Tip	40		

A	B	C	D	E	H	KG
mm	mm	mm	mm	mm	mm	WEIGHT
315	24	70	60	95	70.5	4.2
233	24	106	60	*	66	5.2
233	24	106	60	*	66	5.2
	27	75	70	120	79	7
290	27	125	70	*	85	9
290	27	125	70	*	85	9
435	30	85	80	120	103	13
340	30	122	96	*	103	14
340	30	122	96	*	103	14
479	38	139	85	125	110	15.9
480	38	139	102	125	114.5	24
480	38	139	102	125	114.5	24
483	38	143	86	125	127	22
483	38	143	103	125	138	29.8
480	38	139	102	125	138	29.8
545	40	166	111	100	135	31
545	40	167	131	150	221	40
545	40	167	131	150	221	40




KOMATSU - Loader Tip



TIPS			
3	20T-70-13130	Fork Tip	16
3	10E-70-22211	Fork Tip	14
1	42N-833-1390	Fork Tip	20
2	42N-812-1220	Fork Tip	20
2	42N-812-1230	Fork Tip	20
1	312204054	Fork Tip	20
2	312204052	Fork Tip	20
2	312204053	Fork Tip	20

A	B	C	D	E	H	KG
mm	mm	mm	mm	mm	mm	WEIGHT
240	17	56	40	60	62	2.5
195	15	50	34	45	53	1.5
290	21	50	50.5	80	64	3.6
321	21	114	50	80	168	6.5
321	21	114	50	80	168	6.5
290	21	50	50.5	80	64	3.6
321	21	114	50	80	168	6.5
321	21	114	50	80	168	6.5

KOMATSU - Loader Tip




TIPS	
208-934-Z170(5170SYL)	Blade Protector
209-939-5170	Blade Protector
209-939-7170*	Blade Protector

A	B	C	KG
mm	mm	mm	WEIGHT
147	110	20	2.8
147	140	20	4
147	140	20	4.6

*Not currently in our range.



KOMATSU - PC650 Excavator



TIPS			
1	131-78-31190	Standard	D40,D50
1	141-78-11253	Standard	D60,65,75
1	141-78-11254	Standard	D60,65,75
2	175-78-31230	Standard	
3	175-78-31230	Standard	
4	175-78-3123TL	Tiger	D85,D135,D155
	D85VIP		
5	175-78-31293	Standard	
5	195-78-21331-OLD	Penetration	D275,D355
6	195-78-21331-2016	Standard	D275,D355
7	195-78-71320	Ripper Tip	D375
7	195-78-71320 A	Penetration	D375



09244-02496

1175-78-21740

1175-78-21740

1175-78-21740

1175-78-21740

1175-78-21740

1175-78-21740

1175-78-21740

09244-02508

*


195-78-71360

A	B	C	D	KG
mm	mm	mm	mm	WEIGHT
261	164	90	78.5	9.3
285	162	125	100	12.2
285	162	125	100	12.2
342	170	121	72	15.2
340	169	121	67	13.9
381	169	124	*	13.3
370	165	125	81.5	15.4
370	192	118	70	16
400	193	123	78	16.8
440	218	137	90	*
440	218	137	90	26

*Not currently in our range.



KOMATSU - Ripper Tip



TIPS			
8	195-78-71320-IR	Penetration	
9	195-78-71320 F	Standard	D375
15	TK375RL	Penetration	
10	198-78-21340 IR	Standard	
11	198-78-21340-B	Standard	
12	198-78-21380	Standard	
12	198-78-21340-D	Standard	D475
13	198-78-21340RPL	Longer Extra	
14	198-78-21340HX	Penetration	
15	TK475RL	Penetration	
16	234-785-1121	Standard	
16	235-785-1310	Standard	GD825




	A	B	C	D	KG
	mm	mm	mm	mm	WEIGHT
195-78-71360	447	209	130	90	26
195-78-71360	440	216	137	90	27
195-78-71360	447	210	235	49	29.2
09244-03036	480	250	160	90	35.4
09244-03036	460	248	150	75	34
09244-03036	459	243	159	96	36
09244-03036	459	243	159	96	36
09244-03036	561	261	162	81.5	44
09244-03036	512	252	155	*	40.3
09244-03036	522	270	162	40	41.5
*	290	109	75	60	5.5
*	378	162	127	60	17.6

*Not currently in our range.



KOMATSU - Loader Tip



1

2

3

4



PROTECTOR	LOCK
1 17M-78-21330 D275A	09244-02508
1 195-78-21320 D135 155	09244-02508
1 198-78-21330 D475A	09244-03036
2 195-78-21580 D355 D275	09244-02508
2 195-78-21580HD D355 D275	09244-02508
2 198-78-21390 D475A	09244-03036
3 195-78-71111-B D375A	09244-02508
4 195-78-72410 D375A	09244-02508

L	B	KG
mm	mm	WEIGHT
468	75	20
470	75	15.4
610	98	42
720	75	23.6
721	75	30
940	98	61
554	75	21.3
900	75	52.8

*Not currently in our range.

CAPIPARTS

KOMATSU K-MAX

WWW.CAPIPARTS.CO.ZA

CEP
Capital Equipment Parts

YOUR MINING PARTS SPECIALISTS



KOMATSU K-MAX - SYL



SIZE	PART NO.
15	K15SYL
20	K20SYL
25	K25SYL
30	K30SYL
40	K40SYL
50	K50SYL
70	K70SYL
85	K85SYL

Overall Tooth		Tooth Pocket		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
207	82	67	74	3.5
235	94	76	83	5
267	106	87	95	7.4
295	117	97	106	10
324	125	100	111	12.2
352	141	114	125	17.2
381	152	124	136	21.5
403	163	133	144	26

KOMATSU K-MAX - RC



SIZE	PART NO.
15	K15RC
20	K20RC
25	K25RC
30	K30RC
40	K40RC
50	K50RC
70	K70RC
85	K85RC

Overall Tooth		Tooth Pocket		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
217	69	67	74	3.7
247	79	76	83	5.1
279	87	87	95	7.8
313	97	97	106	11
333	110	100	111	13.4
366	117	114	125	17.4
397	82	124	136	22
426	136	133	144	29.5

*Not currently in our range.



KOMATSU K-MAX - T



SIZE	PART NO.
15	K15T
20	K20T
25	K25T
30	K30T
40	K40T
50	K50T
70	K70T
85	K85T

Overall Tooth		Tooth Pocket		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
227	10	67	74	3
258	12	76	83	4.7
292	13	87	95	6.6
323	14	97	106	9
345	15	100	111	11.1
383	17	114	125	15
414	18	124	136	18.7
441		133	144	23

KOMATSU K-MAX - TV



SIZE	PART NO.
15	K15TV
20	K20TV
25	K25TV
30	K30TV
40	K40TV
50	K50TV
70	K70TV
85	K85TV

Overall Tooth		Tooth Pocket		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
227	8	67	74	3.1
258	10	76	83	4.3
292	11	87	95	6.4
323	12	97	106	8.7
345	13	100	111	10.5
383	14	114	125	15
414	15	124	136	18
441		133	144	22.5

*Not currently in our range.



KOMATSU K-MAX - WT



SIZE	PART NO.
15	K15WT
20	K20WT
25	K25WT
30	K30WT
40	K40WT
50	K50WT
70	K70WT
85	K85WT

Overall Tooth		Tooth Pocket		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
227	111	67	74	2.9
258	126	76	83	4.9
292	142	87	95	6.9
323	157	97	106	8.3
345	168	100	111	10.6
383	187	114	125	15.5
414	202	124	136	19.3
442	215	133	144	24

KOMATSU K-MAX - UT



SIZE	PART NO.
15	K15UT
20	K20UT
25	K25UT
30	K30UT
40	K40UT
50	K50UT
70	K70UT
85	K85UT

Overall Tooth		Tooth Pocket		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
227	111	67	74	3.2
258	126	76	83	5
292	142	87	95	7
323	157	97	106	9.3
345	168	100	111	11.7
383	186	114	125	16.5
414	201	124	136	20
441	215	133	144	24.9

*Not currently in our range.



KOMATSU K-MAX - SD



SIZE	PART NO.
15	K15SD
20	K20SD
25	K25SD
30	K30SD
40	K40SD
50	K50SD
70	K70SD
85	K85SD

Overall Tooth		Tooth Pocket		KG WEIGHT
A mm	B mm	C mm	D mm	
217	45	67	67	3.6
247	51	76	76	5.2
279	58	87	87	
319	64	97	97	11.5
333	68	100	100	13.3
		114	114	17
397	82	124	124	22
396	108	133	133	25

KOMATSU K-MAX - F



SIZE	PART NO.
15	K15F
20	K20F
25	K25F
30	K30F
40	K40F
50	K50F
70	K70F

Overall Tooth		Tooth Pocket		KG WEIGHT
A mm	B mm	C mm	D mm	
205	142	67	74	4.6
258	10	76	83	7.1
270	184	87	95	10.1
140	204	97	106	14.1
318	218	100	111	17
353	241	114	125	23.3
378	259	124	136	28.6

*Not currently in our range.



KOMATSU K-MAX - SD



SIZE	PART NO.
15	K15RP1
15	K15RP2
20	K20RP1
20	K20RP2
25	K25RP1
25	K25RP2
30	K30RP1
30	K30RP2
40	K40RP1
40	K40RP2
50	K50RP1
50	K50RP2
70	K70RP1
70	K70RP2
85	K85RP2
85	K85RP3

Overall Tooth		Tooth Pocket		KG WEIGHT
A mm	B mm	C mm	D mm	
209	73	67	74	4.5
216	74	67	74	5.2
237	83	76	83	6.4
246	83	76	83	8
268	95	87	95	9.4
279	95	87	95	11.5
297	105	97	106	12.7
308	104	97	106	15.7
316	111	100	111	15.6
328	111	100	111	18.7
351	365	114	125	21.2
365	123	114	125	25.8
381	129	124	136	32
381	129	124	136	32
394	132	133	144	40
435	141	133	144	48

*Not currently in our range.



KOMATSU K-MAX - ABR



SIZE	PART NO.
40	K40ABR
50	K50ABR
70	K70ABR

Overall Tooth		Tooth Pocket		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
331	171	100	111	24.5
368	190	114	125	32.5
398	206	124	136	42

KOMATSU K-MAX - AG



SIZE	PART NO.
40	K40AG
50	K50AG
70	K70AG
85	K85AG

Overall Tooth		Tooth Pocket		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
331	171	100	111	24.5
368	190	114	125	32.5
398	206	124	136	42
425	194	133	144	45.5

*Not currently in our range.



KOMATSU K-MAX - Adapter



SIZE	PART NO.	PART
15	1	K110015-25.4
	1	K112515-32
	1	K1030M15-30
	1	K8030M15-30
	1	K115015-40
	Blunt	K5036M15-36
	2	K9025M15
	2	K2025M15
20	1	K112520-30
	1	K1030M20-32
	1	K8030M20
	1	K115020-40
	1	K8035M20
	1	K1040M20
	1	K2030M20
	1	K9030M20
25	1	K115025-38
	1	K1040M25-40
	1	K8040M25-40
	1	K8035M25-35
	1	K117525-45
	2	K2035M25
	2	K9035M25
30	1	K120030-51
	1	K1050M30-50
	1	K117530-45
	1	K1045M30-45
	1	K1040M30-40
	1	K8050M30-50
	2	K2040M30
	2	K8040M30
	2	K9040M30
	2	K9050M30

Lip Thickness	Bevel Degree	Width	WEIGHT
25.4	30°	87	5.9
32	30°	87	5.8
30	30°	87	5.9
30	25°	87	6.3
38/40	30°	87	6
36	90°	87	6.1
25.4	30°	87	8.1
25.4	30°	87	8
32	30°	100	8.4
30	30°	100	8.4
30	30°	100	8.3
40	30°	100	8.4
35	30°	100	8.4
40	30°	100	8.5
32	30°	100	11.3
32	25°	100	11.5
38	30°	114	12.4
40	30°	114	12.4
40	25°	114	12.6
35	25°	114	12.7
45	30°	114	12.5
35	30°	114	17.5
35	25°	114	18
51	30°	125	15.7
50	30°	125	15.6
45	30°	125	16.2
45	30°	125	17.6
40	30°	125	17.6
50	25°	125	16.5
40	30°	125	21
40	25°	125	17.6
40	25°	125	17
51	25°	125	22

*Not currently in our range.



KOMATSU K-MAX - Adapter



SIZE	PART NO.	PART
40	1	K120040-51
	1	K1045M40
	1	K1055M40
	1	K125040-63.5
	1	K1060M40
	1	K1065M40
	2	K2045M40
50	1	K120050
	1	K1060M50-60
	1	K1065M50-65
	1	K125050-63.5
	1	K1070M50-70
	2	K2050M50
	2	K2060M50
70	1	K120070
	1	K1070M70-70
	1	K1070M70L-70
	1	K1070M70R-70
	1	K125070-63.5
	1	K1080M70-80
	1	K130070-76.2
85	1	K120070
	1	K1070M70-70
	1	K1070M70L-70
	1	K1070M70R-70

Lip Thickness	Bevel Degree	Width	KG WEIGHT
51	30°	134	19.5
45	30°	134	20
55	30°	134	19.5
63.5	30°	134	21.5
60	30°	134	20
65	30°	134	20
47	30°	134	27
51	30°	148	27.5
60	30°	148	27.5
65	30°	148	27
63.5	30°	148	27
70	30°	148	27.5
50	30°	148	40
60	30°	148	38
51	30°	161	36
70	30°	161	36
70	30°	161	39
70	30°	161	39
63.5	30°	161	36
80	30°	161	36
76	30°	161	36
70	30°	173	43
76	30°	173	45
80	30°	173	45
90	30°	173	46

*Not currently in our range.



KOMATSU K-MAX - PIN



SIZE	PART NO.	WEIGHT
15	KP15	0.25
20	KP20	0.32
25	KP25	0.52
30	KP30	0.66
40	KP40	0.78
50	KP50	0.85
70	KP70	1.1
85	KP85	1.5

CAPIPARTS

**KOMATSU
XS**

WWW.CAPIPARTS.CO.ZA

CEP
Capital Equipment Parts

YOUR MINING PARTS SPECIALISTS



KOMATSU XS - SYL



SIZE	PART NO.
05	XS05SYL
10	XS10SYL
15	XS15SYL
20	XS20SYL
25	XS25SYL
30	XS30SYL
40	XS40SYL
50	XS50SYL
70	XS70SYL
85	XS85SYL
115	XS115SYL
250	XS250SYL
145	XS145SYL
122	XS122SYL
152	XS152SYL
252	XS252SYL

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
151	61	52	53	1.4
176	71	59	63	2.3
207	82	67	74	3.3
235	94	76	83	5.2
267	106	87	95	7.2
295	117	97	106	9.4
324	125	100	111	12.2
352	141	114	125	17.3
381	152	124	136	20.2
403	163	133	144	24.3
454	182	164	163	35.4
572	229	206	202	72.6
508	203	184	178	51.3
450	182	147	160	40.2
*	*	*	*	*
*	*	*	*	*

*Not currently in our range.



KOMATSU XS - RC



SIZE	PART NO.
05	XS05RC
10	XS10RC
15	XS15RC
20	XS20RC
25	XS25RC
30	XS30RC
40	XS40RC
50	XS50RC
70	XS70RC
85	XS85RC
115	XS115RC
145	XS145RC
250	XS250RC
340	XS340RC
122	XS122RC
152	XS152RC
252	XS252RC
342	XS342RC

Overall Tooth		Tooth PocXSet		KG WEIGHT
A mm	B mm	C mm	D mm	
160	51	52	53	1.5
188	60	59	63	2.3
217	69	67	74	3.4
247	79	76	83	5.4
279	89	87	95	7.6
313	103	97	106	10.8
333	110	100	111	13.6
366	117	114	125	17.4
397	126	124	136	20.9
426	136	133	144	24.9
476	152	164	163	40.1
530	169	184	178	55
600	192	206	202	81.2
629	216	202	225	103
475	151	147	160	47.2
538	169	168	184	67
597	188	181	208	111
621	215	179	225	116

KOMATSU XS - T



SIZE	PART NO.
05	XS05T
10	XS10T
15	XS15T
20	XS20T
25	XS25T
30	XS30T
40	XS40T
50	XS50T
70	XS70T
85	XS85T
115	XS115T
250	XS250T

Overall Tooth		Tooth PocXSet		KG WEIGHT
A mm	B mm	C mm	D mm	
167	7.5	52	53	1.3
196	9	59	63	2
227	10	67	74	2.9
258	13	76	83	4.4
292	14	87	95	6.8
323	14	97	106	8
345	15	100	111	11
383	17	114	125	15.2
414	18	124	136	18.8
441	20	133	144	21.3
486	28	164	163	34.5
610	35	205	202	69.4

*Not currently in our range.



KOMATSU XS - TV



SIZE	PART NO.
05	XS05TV
10	XS10TV
15	XS15TV
20	XS20TV
25	XS25TV
30	XS30TV
40	XS40TV
50	XS50TV
70	XS70TV
85	XS85TV
115	XS115TV
145	XS145TV
340	XS340TV
122	XS122TV
152	XS152TV
252	XS252TV
342	XS342TV

Overall Tooth		Tooth PocXSet		KG WEIGHT
A mm	B mm	C mm	D mm	
167	6	52	53	1.2
196	7	59	63	2
227	8	67	74	2.9
258	10	76	83	4.4
292	11	87	95	6.3
323	12	97	106	8.6
345	13	100	111	10.4
383	14	114	125	14.3
414	15	124	136	17.9
441	16	133	144	22.9
486	28	164	163	34.5
540	31.7	184	178	47.6
629	40	202	225	100
481	28	147	160	41.3
535	30	168	184	55.2
615	36	181	208	88.2
661	39	226	241	110

KOMATSU XS - WT



SIZE	PART NO.
05	XS05WT
10	XS10WT
15	XS15WT
20	XS20WT
25	XS25WT
30	XS30WT
40	XS40WT
50	XS50WT
70	XS70WT
85	XS85WT

Overall Tooth		Tooth PocXSet		KG WEIGHT
A mm	B mm	C mm	D mm	
167	82	52	53	1.3
196	96	59	63	2
98	111	67	74	2.9
258	126	76	83	4.8
293	143	87	95	6.9
323	157	97	106	9.5
345	168	100	111	11.7
383	187	114	125	15.3
415	202	124	136	19.8
441	215	133	144	25.4

*Not currently in our range.



KOMATSU XS - UT



SIZE	PART NO.
05	XS05UT
10	XS10UT
15	XS15UT
20	XS20UT
25	XS25UT
30	XS30UT
40	XS40UT
50	XS50UT
70	XS70UT
85	XS85UT
115	XS115UT
250	XS250UT

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
167	82	52	53	1.5
196	96	59	63	2.3
227	111	67	74	3.2
258	126	76	83	4.9
292	142	87	95	6.9
323	157	97	106	9.5
345	168	100	111	11.6
383	186	114	125	14.7
414	201	124	136	20.2
441	215	133	144	24.9
486	243	164	163	35.4
610	289	206	202	72.6

KOMATSU XS - F



SIZE	PART NO.
05	XS05F
10	XS10F
15	XS15F
20	XS20F
25	XS25F
30	XS30F
40	XS40F
50	XS50F
70	XS70F

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
154	105	52	53	1.9
181	124	59	63	3.1
205	142	67	74	4.6
238	162	76	83	6.4
270	184	87	95	9.4
298	204	97	106	13.7
318	218	100	111	17.5
353	241	114	125	23.3
378	259	124	136	28.6

*Not currently in our range.



KOMATSU XS - BPS



SIZE	PART NO.
15	XS15BPS
20	XS20BPS
25	XS25BPS
30	XS30BPS
40	XS40BPS
50	XS50BPS
70	XS70BPS

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
209	77	67	74	4.6
237	88	76	83	6.8
267	100	87	95	9.8
295	110	97	106	13.0
314	114	100	111	15.0
351	130	114	125	21.7
316	141	124	136	28.1

KOMATSU XS - SD



SIZE	PART NO.
15	XS15SD
20	XS20SD
25	XS25SD
30	XS30SD
40	XS40SD
50	XS50SD
70	XS70SD
85	XS85SD
115	XS115SD
145	XS145SD
250	XS250SD
340	XS340SD
152	XS152SD
252	XS252SD
252	XS252HSD
342	XS342SD

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
217	45	67	74	3.6
247	51	76	83	5.3
279	58	87	95	7.4
313	64	97	106	10.3
333	68	100	111	12.8
366	75	114	125	17.4
397	82	124	136	21.7
396	108	133	144	25.4
454	114	164	163	37.2
506	127	184	178	49.0
572	144	206	202	73.0
598	158	202	225	101
509	124	168	184	54.4
570	144	181	208	84.8
597	191	181	208	102.1
600	159	173	226	110

*Not currently in our range.



KOMATSU XS - RP1



SIZE	PART NO.
10	XS15SD
15	XS20SD
20	XS25SD
25	XS30SD
30	XS40SD
40	XS50SD
50	XS70SD
70	XS85SD

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
217	45	67	74	3.6
247	51	76	83	5.3
279	58	87	95	7.4
313	64	97	106	10.3
333	68	100	111	12.8
366	75	114	125	17.4
397	82	124	136	21.7
396	108	133	144	25.4

KOMATSU XS - RP2



SIZE	PART NO.
15	XS15RP2
20	XS20RP2
25	XS25RP2
30	XS30RP2
40	XS40RP2
50	XS50RP2
70	XS70RP2
85	XS85RP2
115	XS115RP2
122	XS122RP2
145	XS145RP2
152	XS152RP2
85	XS85RP3
122	XS122RP3
145	XS145RP3
152	XS152RP3

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
216	74	67	74	5.2
246	83	76	83	7.6
279	95	87	95	11.2
309	105	97	106	15.2
328	111	100	111	18.1
365	124	114	125	24.9
394	132	124	136	31.3
435	141	133	144	42.2
476	140	164	163	58.3
163	171	147	160	56.7
548	195	184	178	85.3
556	191	168	184	85.7
435	152	133	144	47.2
490	171	147	160	70.4
546	190	184	178	93
555	191	168	184	99.2

*Not currently in our range.



KOMATSU XS - RPX



SIZE	PART NO.
50	XS50RPX
70	XS70RPX
85	XS85RPX
115	XS115RPX

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
376	123	114	125	31.8
406	133	124	136	39
436	142	133	144	50.3
491	161	164	163	69.2

KOMATSU XS - AG



SIZE	PART NO.
40	XS40AG
50	XS50AG
70	XS70AG
85	XS85AG

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
330	150	100	111	20.5
368	167	114	125	28.6
398	181	124	136	34.9
424	194	133	144	44

KOMATSU XS - ABR



Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
331	171	100	111	24
370	191	114	125	32.2
398	206	124	136	41.3

*Not currently in our range.



KOMATSU XS - HP



SIZE	PART NO.
30	XS30HP
40	XS40HP
50	XS50HP
70	XS70HP

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
313	102	97	106	11.2
333	108	100	111	13.9
370	120	114	125	19.1
399	130	124	136	23.4

KOMATSU XS - RPL




SIZE	PART NO.
145	XS145RPL
152	XS152RPL
145	XS145RPHL
152	XS152RPHL

Overall Tooth		Tooth PocXSet		KG WEIGHT
A	B	C	D	
mm	mm	mm	mm	
546	165	184	178	92.5
552	165	168	184	93.8
546	267	184	178	102
588	266	168	184	104

*Not currently in our range.



KOMATSU XS - PC




SIZE	PART NO.
05	XS05P
10	XS10P
15	XS15PC
20	XS20PC
25	XS25PC
30	XS30PC
40	XS40PC
50	XS50PC
70	XS70PC
85	XS85PC
115	XS115PX
145	XS145PX
250	XS250PX
340	XS340PX

DIMENSIONS			
A	B	C	KG
mm	mm	mm	WEIGHT
66	11	27	0.1
78	14	30	0.2
91	16	34	0.2
103	18	39	0.4
118	21	44	0.5
130	23	48	0.6
138	24	52	0.8
156	27	57	1.1
169	29	63	1.5
178	31	65	1.7
203	39	69	2.4
225	44	76	3.3
255	50	87	4.8
244	48	90	5

*Not currently in our range.



KOMATSU XS - Adapter




SIZE	PART NO.	PART
04	1	1625XS04
	4	7625XS04
	4	7833XS04
	1	1075XS04
	2	2020MXS04
	1	1100XS04
5	2	9016MXS05
	1	1100XS05
	1	1875XS05
10	1	1100XS10
	1	1030MXS10
	2	2030MXS10
	1	1125XS10
15	1	1100XS15
	1	1030MXS15
	1	1125XS15
	1	1150XS15
	2	2025MXS15
	2	6125XS15L*
	2	6125XS15R*
20	1	1030MXS20
	1	1125XS20
	1	1150XS20
	1	1040MXS20
	2	2030MXS20
	3	6125XS20L*
	3	6125XS20R*
	3	6150XS20L*
	3	6150XS20R*

LIP THICKNESS	BEVEL DEGREE	WIDTH	KG WEIGHT
16	30°	58	1.6
25	30°	58	1.6
18	30°	58	1.3
19	30°	58	1.5
20	30°	58	1.9
2.54	30°	58	1.4
16	30°	67	3.1
25.4	30°	67	2.5
22	30°	67	2.4
25.4	30°	79	4
30	30°	79	4
30	30°	79	5
32	30°	79	3.8
25.4	30°	87	5.9
30	30°	87	5.9
32	30°	87	5.8
38	30°	87	5.9
25.4	30°	87	7.9
32	30°	87	6.6
32	30°	87	6.6
32	30°	100	9
33	30°	100	8.2
38	30°	100	8.3
40	30°	100	8.3
32	30°	100	11.1
32	30°	100	9.9
32	30°	100	9.9
38	30°	100	9.4
38	30°	100	9.4

*Not currently in our range.



KOMATSU XS - Adapter




SIZE	PART NO.	PART
25	1	1035MXS25
	1	1150XS25
	1	1040MXS25
	1	1175XS25
	2	2035MXS25
	3	6150XS25L*
	3	6150XS25R*
	3	6175XS25L*
	3	6175XS25R*
30	1	1040MXS30
	1	1040MXS30L
	1	1040MXS30R
	1	1045MXS30
	1	1175XS30
	1	1050MXS30
	1	1200XS30
	2	2040MXS30
	3	6175XS30L*
	3	6175XS30R*
	3	6200XS30L*
	3	6200XS30R*
40	1	1045MXS40
	1	1200XS40
	1 RL	1200XS40L
	1 RL	1200XS40R
	1	1055MXS40
	1	1060MXS40
	1	1250XS40
	2	2045MXS40
	3	6200XS40L*
	3	6200XS40R*

LIP THICKNESS	BEVEL DEGREE	WIDTH	KG WEIGHT
35	30°	114	12.8
38	30°	114	12.5
40	30°	114	12.4
45	30°	114	12.2
35	30°	114	17.1
38	30°	114	13.9
38	30°	114	13.9
45	30°	114	14
45	30°	114	14
40	30°	125	17.5
40	30°	125	18.7
40	30°	125	18.7
45	30°	125	16.9
45	30°	125	16.6
50	30°	125	15.2
50	30°	125	15.8
40	30°	125	21
45	30°	125	17.1
45	30°	125	17.3
51	30°	125	17.3
51	30°	125	17.3
45	30°	134	19.6
51	30°	134	19.7
51	30°	134	21
51	30°	134	21
55	30°	134	19.6
60	30°	134	19.5
66	30°	134	21.2
45	30°	134	26.8
51	30°	134	22.1
51	30°	134	22.1

*Not currently in our range.



KOMATSU XS - Adapter




SIZE	PART NO.	PART
50	1	1200XS50
	1 RL	1200XS50L
	1 RL	1200XS50R
	1	1200XS50WC
	1 RL	1200XS50RWC
	1 RL	1200XS50LWC
	2	2050MXS50
	1	1060MXS50
	2	2060MXS50
	1	1250XS50
	1RL	1250XS50L
	1RL	1250XS50R
	1	1250XS50WC*
	1 RL	1250XS50RWC*
	1 RL	1250XS50LWC
	1	1065MXS50
	1	1275XS50

LIP THICKNESS	BEVEL DEGREE	WIDTH	KG WEIGHT
51	30°	148	27.2
51	30°	148	28.6
51	30°	148	28.6
51	30°	154	36.3
51	30°	154	37.7
51	30°	154	37.7
51	30°	148	39.5
60	30°	148	27.2
60	30°	148	37.6
63.5	30°	148	27.2
63.5	30°	148	30.4
63.5	30°	148	30.4
63.5	30°	154	36.3
63.5	30°	154	37.7
63.5	30°	154	37.7
65	30°	148	26.8
72	30°	148	27.2

*Not currently in our range.



KOMATSU XS - Adapter



SIZE	PART NO.	PART
70	1	1200XS70
	1	1250XS70
	1 RL	1250XS70L
	1 RL	1250XS70R
	1	1250XS70WC*
	1 RL	1250XS70RWC*
	1 RL	1250XS70LWC*
	2	2065MXS70
	1	1070MXS70
	1	1275XS70
	1 RL	1275XS70L
	1 RL	1275XS70R
	1	1275XS70WC*
	1 RL	1275XS70RWC*
	1 RL	1275XS70LWC*
	1	1300XS70
	1	1080MXS70
	1 RL	1080MXS70L
	1 RL	1080MXS70R

LIP THICKNESS	BEVEL DEGREE	WIDTH	KG WEIGHT
53	30°	161	35.8
66	30°	161	34
66	30°	161	38.1
66	30°	161	38.1
66	30°	161	44
66	30°	161	47.6
66	30°	161	47.6
67	30°	161	48.1
72	30°	161	36.7
72	30°	161	36.7
72	30°	161	39
72	30°	161	39
72	30°	161	44.5
72	30°	161	46.7
72	30°	161	46.7
79	30°	161	32.7
82	30°	161	35.4
82	30°	161	38.1
82	30°	161	38.1

*Not currently in our range.



KOMATSU XS - Adapter



SIZE	PART NO.	PART
85	1	1250XS85
	1	1275XS85
	1 RL	1275XS85L
	1 RL	1275XS85R
	1	1300XS85
	1 RL	1300XS85L
	1 RL	1300XS85R
	1	1310XS85*
	1 RL	1310XS85L*
	1 RL	1310XS85R*
	1	1080MXS85
	1 RL	1080MXS85L
	1 RL	1080MXS85R
	1	1090MXS85
	1	1350XS85
	1 RL	1350XS85L
	1 RL	1350XS85R
115	1	300XS115*
	1	301XS115*
	1	302XS115*
	1	1090MXS115*
	1	1090MXS115L*
	1	1090MXS115R*
	1	350XS115
	3	90XS115CC
145	1	A443XS145*
	1	447XS145
	3	120XS145CC
145	4	WC145
250	1	257XS250*
		550XS250C***
122	1	350XS122
	1	1090MXS122*
152	1	443XS152*
252	1	255XS252*
	1	257XS252*

LIP THICKNESS	BEVEL DEGREE	WIDTH	WEIGHT
63.5	30°	164	44.5
70	30°	164	42.6
70	30°	164	46.7
70	30°	164	46.7
76	30°	164	44
76	30°	164	49
76	30°	164	49
76	30°	164	46.3
76	30°	164	48.5
76	30°	164	48.5
80	30°	164	44.9
80	30°	164	44.9
80	30°	164	44.9
90	30°	164	44.9
90	30°	164	42.2
90	30°	164	43.1
91	30°	164	43.1
76	30°	195	64.9
76	30°	195	69.9
90	30°	195	69.9
90	30°	195	61.2
90	30°	195	64.0
90	30°	195	64.0
90	30°	195	58.1
90	30°	195	171
120	30°	218	105
120	30°	218	106.6
120	30°	230	267
145	*	242	15
120	30°	257	138.3
120	30°	257	154.2
91	30°	195	78.5
92	30°	195	70.8
120	30°	217	105.2
140	30°	246	151
120	30°	246	160.1

CAPIPARTS

WWW.CAPIPARTS.CO.ZA



For the latest product info scan here



Head Office

-  +27 11 568 4215
-  info@capiparts.co.za
-  www.capiparts.co.za
-  198 High Road, Bredell, Kempton Park, 1623, South Africa

Mozambique Branch

-  Tel: +258 84 128 88 87
-  info@capiparts.co.za
-  www.capiparts.co.za
-  Cidade de Tete, Zona Industrial, Bairro Matundo, Parcela, n.º 1631

YOUR #1 SOURCE FOR AFFORDABLE
GPM (Genuine Parts Manufacturer) Parts and Surplus Parts.

